天秤 Scale — AND

HL-2000
手提式 1/2000 分辨率天秤
Portable & 1/2000 Resolution Scale

* Wide range of application including offices, warehouses, laboratory and industry
* Clear LCD display (8mm)
* Capacity=2000g
* Pan size: 136W x 136D mm
* Battery operated (AA) with optional AC adapter
* Net Weight / Stability indication

STOCK CODE : 644-154 PRICE : HK$ 770.00

EK-200G
實驗室天秤
Lab Balance

* 9 measurement units (Non-NTEP)
* Optional RS-232 interface card available Counting, percentage and comparator functions
* Capacity & Resolution 200g x 0.01g
* 110mm diameter pan
* Clear, wide angle LCD display

STOCK CODE : 644-153 PRICE : HK$ 3,318.00

EW-3000G
實驗室天秤
Lab Balance

* 8 Weighing Units (NTEP Class III)
* Optional RS-232 interface card available Counting, percentage and comparator functions
* Capacity & Resolution 3000g x 1g
* 5.2" x 6.7" rectangular diameter pan
* Clear, wide angle LCD display

STOCK CODE : 644-155 PRICE : HK$ 2,575.00

GF-6000
天秤
Toploader Balance

* Super Hybrid Sensor Technology
* Scale Range: 6100g x 0.1 g
* Multiple Weighing Units
* Clear VFD Display
* RS-232C Standard & WinCT software on CD-Rom

STOCK CODE : 648-642 PRICE : HK$ 7,150.00

www.mantech-security.com



不間斷電源供應 Uninterruptible Power Supply — APC

SUA2200RMI2U
在線式不間斷電源
Line-Interactive UPS Model

* Hot Swappable, Replaceable Battery
* Power Rating: 2200VA
* Input/Output Voltage : 230VAC/230VAC
* Full Load Backup Time : 5.2 min (1980Watts)
* 19" Rack Mount model : 2U type
* Communication : USB & Serial port

STOCK CODE : 920-227 PRICE : HK$ 8,150.00

SUA1000RMI2U
在線式不間斷電源
Line-Interactive UPS Model

* Hot Swappable, Replaceable Battery
* Power Rating: 1000VA/670W
* Input/Output Voltage : 230VAC/230VAC
* Full Load Backup Time : 9.1 min (670Watts)
* 19" Rack Mount model : 2U type
* Communication : USB & Serial port

STOCK CODE : 920-259 PRICE : HK$ 4,000.00

電源供應 Power Supply — ARTESYN

NLP -25 Series
25W 雙重輸出 AC/DC 供應
25W Dual Output AC/DC Supply

* Input Voltage: 90-264VAC, 127-375VDC
* Size: 4 x 2 inch with profile 0.9 inch
* Overvoltage & short cirucuit protection
* MTBF: 150,000 hours min
* Vibration: 2.4G rms peak, 5-500Hz

MODEL	OUTPUT	STOCK CODE	PRICE (HK$)
NLP-25-7629	+5V(2A), +12V(0.8A)	646-677	400.00

折射計 Refractometer — ATAGO

PAL-1
手提式數字量式折射計
Digital Hand Held Refractometer

* Wide range measurement: Brix 0.0 to 53.0%
* Light weight 100g with digital LCD display
* Measure almost any fruit juice, food or drink
* With automatic temperature compensation
* Measurement time: 3 sec
* Dim: 55 x 31 x 109 mm

STOCK CODE : 647-253 PRICE : HK$ 2,400.00

PAL-ES3
數字式鹽濃度分析儀
Digital Salt Meters

* Measurement Method : Conductivity Method
* Digital Display: % concentration of salt in sauces, catsups, seasoning, and soups
* Range: 0.0 to 33.0% (g/100ml) of salt concentration
* Guaranteed accuracy range: 15 to 35deg C
* Sampling Time: 3 seconds

STOCK CODE : 648-636 PRICE : HK$ 2,875.00

絕緣 / 高阻計 Insulation/ Continuity Tester — AVO

BM80/2
絕緣/高阻計
Insulation/ Continuity Tester

* 50V, 100V, 250V & 500V Insulation, backlight
* Exceptional insulation testing capabilities and excellent multimeter capabilities
* Voltmeter Mode. digitally measures to 600V both AC and DC voltage without switching : offers both 50 V and 500 V ranges
* Resistance Mode (Ohm) : deliver 205 mA of current: current output is critical when there is rust of corrosion at the point of connection

STOCK CODE : 645-947 PRICE : HK$ 8,692.00

BM81/2
絕緣電阻測試裝備
Insulation Resistance Test Equipment

* 50V, 100V, 250V , 500V & 1000V Insulation
* Exceptional insulation testing capabilities and excellent multimeter capabilities
* Voltmeter Mode. digitally measures to 600V both AC and DC voltage without switching : offers both 50 V and 500 V ranges
* Resistance Mode (Ohm) : deliver 205 mA of current: current output is critical when there is rust of corrosion at the point of connection

STOCK CODE : 645-948 PRICE : HK$ 8,692.00

BM82/2
絕緣電阻測試裝備
Insulation Resistance Test Equipment

* 50V, 100V, 250V & 500V Insulation, backlight
* Exceptional insulation testing capabilities and excellent multimeter capabilities
* Voltmeter Mode. digitally measures to 600V both AC and DC voltage without switching : offers both 50 V and 500 V ranges
* Live circuit warning that automatically displays voltage above 25V with audible alarm and inhibit circuit to prevent testing on live circuits above 55V

STOCK CODE : 645-949 PRICE : HK$ 8,692.00

BM100/4
絕緣 / 高阻計
Insulation/ Continuity Tester

* BM100/4 includes a voltage range
* The industry standard 500V analogue testers
* Lightweight, tough and robust
* Low cost
* Analog scale, designed with the latest technology giving ruggedness and reliability to analogue instruments

STOCK CODE : 645-939 PRICE : HK$ 3,203.00

BM101/4
絕緣 / 高阻計
Insulation/ Continuity Tester

* BM101/4 includes a resistance range
* The industry standard 500V analogue testers
* Lightweight, tough and robust
* Low cost
* Analog scale, designed with the latest technology giving ruggedness and reliability to analogue instruments

STOCK CODE : 645-940 PRICE : HK$ 3,203.00

BM121
絕緣電阻測試裝備
Insulation Resistance Test Equipment

* 250V / 500V Insulation and Inversions
* Automatic detection and indication of live circuits
* Simple to use and low cost
* Digital display
* The instruments automatically enter the Continuity Testing Mode which is hands free

STOCK CODE : 645-536 PRICE : HK$ 2,108.00



Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

絕緣 / 高阻計 Insulation/ Continuity Tester

BM122
絕緣電阻測試裝備
Insulation Resistance Test Equipment
* 500V / 1000V Insulation and Inversions
* Automatic detection and indication of live circuits
* Simple to use and low cost
* Digital display
* The instruments automatically enter the Continuity Testing Mode which is hands free



STOCK CODE : 645-941 **PRICE : HK$ 2,711.00**

BM123
絕緣電阻測試裝備
Insulation Resistance Test Equipment
* 250V / 500V / 1000V Insulation and Inversions
* Automatic detection and indication of live circuits
* Simple to use and low cost
* Digital display
* The instruments automatically enter the Continuity Testing Mode which is hands free



STOCK CODE : 645-942 **PRICE : HK$ 2,711.00**

BM221
絕緣電阻測試裝備
Insulation Resistance Test Equipment
* 500V / 1000V Insulation and Live circuit warning
* Offers all the essential measurements capabilities and features required for fast easy testing
* Single of multiple insulation test voltages
* Backlit display and test lead null facility
* Unique analogue OK/digital display



STOCK CODE : 645-943 **PRICE : HK$ 3,648.00**

BM222
絕緣電阻測試裝備
Insulation Resistance Test Equipment
* 500V / 1000V Insulation and Live circuit warning
* Offers all the essential measurements capabilities and features required for fast easy testing
* Single of multiple insulation test voltages
* Backlit display, test lead null facility
* Unique analogue OK/digital display



STOCK CODE : 642-741 **PRICE : HK$ 7,665.00**

BM223
絕緣電阻測試裝備
Insulation Resistance Test Equipment
* 250V / 500V Insulation and Live circuit warning
* Offers all the essential measurements capabilities and features required for fast easy testing
* Single OF multiple insulation test voltages
* Backlit display, test lead null facility
* Unique analogue OK/digital display



STOCK CODE : 645-697 **PRICE : HK$ 4,135.00**

BM224
絕緣電阻測試裝備
Insulation Resistance Test Equipment
* 500V / 1000V Insulation and Live circuit warning
* Offers all the essential measurements capabilities and features required for fast easy testing
* Single OF multiple insulation test voltages
* Backlit display and test lead null facility
* Unique analogue OK/digital display



STOCK CODE : 645-944 **PRICE : HK$ 4,255.00**

絕緣 / 高阻計 Insulation/ Continuity Tester

BM400/2
絕緣 / 高阻計
Insulation/Continuity Tester
* 500V Insulation and backlight
* Exceptional insulation testing capabilities and excellent multimeter capabilities
* Voltmeter Mode. digitally measures to 600V both AC and DC voltage without switching: offers both 50 V and 500 V ranges
* Resistance Mode (Ohm) : deliver 205 mA of current: current output is critical when there is rust of corrosion at the point of connection



STOCK CODE : 645-106 **PRICE : HK$ 3,821.00**

BM401/2
絕緣 / 高阻計
Insulation/Continuity Tester
* 500V Insulation
* Exceptional insulation testing capabilities and excellent multimeter capabilities
* Voltmeter Mode. digitally measures to 600V both AC and DC voltage without switching: offers both 50 V and 500 V ranges
* Resistance Mode (Ohm) : deliver 205 mA of current: current output is critical when there is rust of corrosion at the point of connection



STOCK CODE : 645-945 **PRICE : HK$ 4,255.00**

BM402/2
絕緣 / 高阻計
Insulation/Continuity Tester
* 500V & 1000V Insulation, backlight
* Exceptional insulation testing capabilities and excellent multimeter capabilities
* Voltmeter Mode. digitally measures to 600V both AC and DC voltage without switching: offers both 50 V and 500 V ranges
* Resistance Mode (Ohm) : deliver 205 mA of current: current output is critical when there is rust of corrosion at the point of connection



STOCK CODE : 645-946 **PRICE : HK$ 5,210.00**

BM403/2
絕緣 / 高阻計
Insulation/Continuity Tester
* 250V, 500V & 1000V Insulation, backlight
* Exceptional insulation testing capabilities and excellent multimeter capabilities
* Voltmeter Mode. digitally measures to 600V both AC and DC voltage without switching : offers both 50 V and 500 V ranges
* Resistance Mode (Ohm) : deliver 205 mA of current: current output is critical when there is rust of corrosion at the point of connection



STOCK CODE : 645-535 **PRICE : HK$ 4,853.00**

MIT300-EN
絕緣測試儀
Insulation/Continuity Tester
Insulation Tester
* Waterproof to IP54 w/ USB Interface
* Live warning : alert when circuit voltage over 25V exists
* Insulation Measuring Range: 10k - 999M ohm
* Insulation Nominal Test Voltage: 250VDC or 500VDC
* Continuity measuring range: 0.01 - 99.9 ohm (0-50 ohm on analogue scale)
* Continuity Buzzer : operates at < 5 ohm



STOCK CODE : 648-374 **PRICE : HK$ 2,800.00**

高壓絕緣計 High Voltage Insulation Tester

BM11
高壓絕緣計
High Voltage Insulation Tester
* Measurement range : 100 Gohm Analog
* Fow test voltage up to 5kV
* Rugged case
* It is battery powered, housed in a rugged case and has a large, easy to read analog scale, with rechargeable power supply, the unit is both portable and rugged



STOCK CODE : 645-957 **PRICE : HK$ 26,245.00**

高壓絕緣計 High Voltage Insulation Tester

BM11D
高壓絕緣計
High Voltage Insulation Tester
* Measurement range : 500 Gohm Digital, 1 Tohm Analog
* Test time display : Internal Clock Timer
* Built in Timer
* Battery Indicator
* Automatic Discharge of capacitance



STOCK CODE : 645-024 **PRICE : HK$ 22,157.00**

BM15
高壓絕緣計
High Voltage Insulation Tester
* Measurement range : 20 Mohm
* Provide a quick, accurate reading of insulation resistance
* Four test voltages up to 5 kV
* Powered by 8 "AA" or rechargeable alkaline batteries
* Dual power supply option giving the best of both worlds



STOCK CODE : 645-956 **PRICE : HK$ 13,828.00**

BM21
高壓絕緣計
High Voltage Insulation Tester
* Measurement range : 5 Tohm Digital, 1 Tohm Analog
* Test time display : Programmable Timer
* Test voltage adjustable in 25V increments
* Timer sets test duration w/final readings retained
* Measurement to 5 Tohm



STOCK CODE : 645-026 **PRICE : HK$ 26,245.00**

BM25
高壓絕緣計
High Voltage Insulation Tester
* Measurement range : 5 Tohm Digital, 1 Tohm Analog
* Test time display : Programmable Timer
* Automated & preprogrammed tests
* Polarization Index and step voltage tests
* Dielectric discharge test for multilayer insulation



STOCK CODE : 645-080 **PRICE : HK$ 35,991.00**

MJ15
高壓絕緣計
High Voltage Insulation Tester
* Measurement range : 20 Mohm
* Provide a quick, accurate reading of insulation resistance
* Four test voltages up to 5 kV
* Includes a hand-crank generator in addition to battery power
* Dual power supply option giving the best of both worlds



STOCK CODE : 645-955 **PRICE : HK$ 14,456.00**

接地內阻計 Earth Impedance Tester

DET 5/4D, DET 5/4R
接地內阻計
Earth Impedance Tester
* Four-terminal ground resistance testers
* Simple, fully automatic operation
* Autoranging from 10 mΩ to 20kΩ
* Choice of three or four termial measurment
* Tests to BS7671, BS7430, BS6651 and VDE0413



MODEL	STOCK CODE	PRICE (HK$)
DET 5/4D	645-537	7,787.00
DET 5/4R	648-462	9,500.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

接地內阻計 Earth Impedance Tester

DET 62D
接地內阻計
Earth Impedance Tester

* Weatherproof case, protection to IP54
* Simple, fully automatic operation
* Digital display
* Noise rejection to 40V
* Three terminal measurement for earth electrode testing

STOCK CODE : 645-960 PRICE : HK$ 5,444.00

回路內阻計 Loop/PSC Impedance Tester

LT5
數字量式迴路計
Digital Loop Testers

* Simple to operate by just making connection and selecting the range
* Direct readings down to 0.01Ωprovided by 3½digit L.C.D.
* Audible indication of test execution
* Range : 0.01 ~ 199.9Ω

STOCK CODE : 645-107 PRICE : HK$ 3,794.00

LT6
迴路內阻計
Loop/ PSC Impedance Tester

* Simple to operate by just making connection and selecting the range
* Direct readings down to 0,01Ωprovided by 3½digit L.C.D.
* Audible indication of test execution
* Range : 0.01 ~ 1999Ω

STOCK CODE : 645-082 PRICE : HK$ 4,600.00

LT7
迴路內阻計
Loop/ PSC Impedance Tester

* Low current range for RCD protected circuits
* Direct reading of PSCC and PEFC
* Operating voltage 50V to 263V, 50Hz and 60Hz
* Tests 3 phase and luminaries with 2-wire lead set
* Conventional high current range for Fuse-protected circuits with 0.01Ωresolution

STOCK CODE : 645-083 PRICE : HK$ 7,960.00

漏電測試計 RCD Tester

CBT3
漏電測試計
RCD Tester

* UK-230V
* Non-trip, trip, fast trip tests easily selected
* Tests at positive and negative polarity
* RCD tests with rating from 6mA to 500 mA
* Fully meets BS7671 (16fh Edition IEE Wiring Regulations)

STOCK CODE : 645-533 PRICE : HK$ 3,898.00

CBT4
漏電測試計
RCD Tester

* European-220V
* Non-trip, trip, ast trip tests easily selected
* Tests at positive and negative polarity
* RCD tests with rating from 6mA to 500 mA
* Fully meets BS7671 (16fh Edition IEE Wiring Regulations)

STOCK CODE : 645-967 PRICE : HK$ 4,600.00

漏電測試計 RCD Tester

LCB2000
漏電測試計
RCD Tester

* Hi-Resolution Non-tripping 3 wire Fast Loop Test
* 0.01Ωresolution
* Non-tripping 2 wire loop Test
* P-P, P-H & P-E Loop Tests up to 440V
* PSCC indication

STOCK CODE : 645-534 PRICE : HK$ 8,226.00

LCB2500
漏電測試計
RCD Tester

* Auto-sequence RCD test
* No-trip RCD tests
* Ramp RCD tests
* Test programmable RCDs
* Loop impedance and RCD testers perform comprehensive testing of electrical installations

STOCK CODE : 645-968 PRICE : HK$ 8,085.00

LRCD220
迴路/漏電測試器
Loop/ RCD Tester

* RCD testing from 10 mA to 500 mA
* 3 phase safe Non-tripping loop tester
* Will not trip RCDs rated at 30 mA or greater during loop testing
* With addition of 110V loop & 2 wire fast testing
* Phase to Phase and Phase to Earth Measurement

STOCK CODE : 648-097 PRICE : HK$ 7,070.00

電壓測試計 Applied Voltage Tester & Ductor Tester

MEG10-01
應用電壓儀
Applied Voltage Tester

* Integral lead storage
* Real time data output and on-board storage for subsequent download
* Integral timer for automatic insulation resistance and polarisation index tests
* Operates from mains supply or rechargeable battery
* Results displayd as insulation resistance or leakage current

STOCK CODE : 647-151 PRICE : HK$ 49,290.00

Ductor DLRO-10
低阻抗測試計
Ductor Tester

* Accurate results in under three seconds
* Auto current reversal cancels standing emfs
* Fuse protected to 600V
* NiMH battery reduces weight
* Visible warning of current flowing in the test sample

STOCK CODE : 646-173 PRICE : HK$ 37,227.00

多功能電工安全計 Multi Function Electrical Safety Tester

BM2080
多功能電工安全計
Multi Function Electrical Safety Tester

* Max. Insulation range Gohm : 200
* Frequency and current measurement
* Capacitance measurement
* 50V, 100V, 250V, 500V, 1000V insulation test voltages
* Shows insulation quality in terms of resistance either MOhm or GOhm or leakage current Ohm (A)

STOCK CODE : 645-952 PRICE : HK$ 9,172.00

多功能電工安全計 Multi Function Electrical Safety Tester

BMM80
多功能電工安全計
Multi Function Electrical Safety Tester

* Continuity function
* Voltage, low resistance measurement ranges
* Insulation resistance measurement to 0 - 200G
* 50V, 100V, 250V, 500V, 1000V insulation test voltages
* Live circuit warning - warns of connection to circuits above 25V irrespective of range selected

STOCK CODE : 645-950 PRICE : HK$ 8,692.00

BMM2000
多功能電工安全計
Multi Function Electrical Safety Tester

* Max. Insulation range Gohm : 20
* 250V, 500V, 1000V insulation test voltages
* Frequency and current measurement
* Provides all the functions necessary for test and measurement in utility-powered environments
* Shows insulation quality in terms of resistance either MOhm or GOhm or leakage current Ohm (A)

STOCK CODE : 645-951 PRICE : HK$ 6,027.00

BMM2500
多功能電工安全計
Multi Function Electrical Safety Tester

* Max. Insulation range Gohm : 200
* 250V, 500V, 1000V insulation test voltages
* Data stored in non-volatile memory NVR) - ensures results will not be lost in the event of a dead battery or battery removal
* Continuous data logging (up to 300) of any parameter with selectable sample interval
* RS232 printer output for test results

STOCK CODE : 645-953 PRICE : HK$ 7,137.00

BMM2580
多功能電工安全計
Multi Function Electrical Safety Tester

* Max. Insulation range Gohm : 200
* Data stored in non-volatile memory NVR) - ensures results will not be lost in the event of a dead battery or battery removal
* Continuous data logging (up to 300) of any parameter with selectable sample interval
* RS232 printer output for test results
* 50V, 100V, 250V, 500V, 1000V insulation test voltages

STOCK CODE : 645-954 PRICE : HK$ 10,488.00

CM400
多功能電工安全計
Multi Function Electrical Safety Tester

* All tests carried out with 2-wire lead set
* Auto RCD test
* Results storage and RS232 communication
* Ramp test measures the actual tripping current
* Tilt facility lead storage for easy operation (optional carrying case)

STOCK CODE : 645-965 PRICE : HK$ 13,701.00

CM500
多功能電工安全計
Multi Function Electrical Safety Tester

* Non-trip loop test for RCDs > 30mA
* Variable RCD test current for testing programmable devices
* Selectable display backlight for easy reading in poor light
* Advanced results storage and data handling features
* Test and carry pouch with lead storage included

STOCK CODE : 645-966 PRICE : HK$ 15,348.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

手提式電器測試計 Portable Appliance Tester

PAT4DV
手提式電器測試計
Portable Appliance Tester

* Operation test and earth leakage test
* 10 years real time clock-no need to reset clock every day all tests date and time stamped 2000 compliant
* Boots up in 5 second-start testing, no waiting
* Quick check (enables single test) a conduct a single test (e.g. after repair) rather than the whole test sequence
* Auto-restart-when moved from room to room

STOCK CODE : 645-962 **PRICE : HK$ 14,319.00**

PAT4DVF
手提式電器測試計
Portable Appliance Tester

* 10 years real time clock-no need to reset clock every day all tests date and time stamped 2000 Compliant
* Boots up in 5 second-start testing, no waiting
* Operation test, earth leakage test and flash test
* Quick check (enables single test) a conduct a single test (e.g. after repair) rather than the whole test sequence
* Auto-restart-when moved from room to room

STOCK CODE : 645-963 **PRICE : HK$ 17,556.00**

PAT32
多功能電工安全計
Portable Appliance Tester

* Low cost, simple to use, manual Portable Appliance tester
* Tests 110 V, 230 V and IT equipment
* Fuse check and circuit continuity test
* Earth bond test at 10A and 25A
* Analogue/Digital display with automatic pass bands

STOCK CODE : 645-964 **PRICE : HK$ 10,199.00**

鉗錶 Clamp Meter

DCM300E
電流洩漏鉗錶
Leakage Clamp Meter

* 0.01 mA. Resolution
* EMC and EN1010-2-32 compliance
* 30 mA, 300 mA, 30 A and 300 A range

STOCK CODE : 645-985 **PRICE : HK$ 4,804.00**

DCM1000P
功率鉗錶 / 數字量式電流鉗錶
Power Clamp / Digital Clampmeter

* Ecellence Price Performance
* Measures power quantities on 1-f &1-f systems
* d.c & a.c. True RMS response
* Real-time bargraph display
* Auto-sensing a.c/d.c./(a.c.+d.c.)

STOCK CODE : 645-986 **PRICE : HK$ 7,834.00**

DCM2000P
功率鉗錶
Power Clampmeter

* W, VA, VAR, kWh AND Power Factor measurement even on distorted waveforms
* AC/DC Current up to 2000 Amps
* Ture rms, Peak, Crest Factor, THD, DF, Frequeny measurement, and DC Ripple
* 3 Phase Power capability
* Live Harmonic Analysis, bargraph display

STOCK CODE : 645-987 **PRICE : HK$ 11,985.00**

鉗錶 Clamp Meter

DCM2031
鉗錶
Clamp Meter

* AC current range : 400 A
* Resolution : 1 mV/A
* a.c. models for various applications
* Hand Guard designed for operator safety
* Jaw size up to 51 mm diameter for large conductors

STOCK CODE : 645-978 **PRICE : HK$ 881.00**

DCM2033
鉗錶
Clamp Meter

* AC current range : 600 A
* Resolution : 0,1 A
* a.c. models for various applications
* Hand Guard designed for operator safety
* Jaw size up to 51 mm diameter for large conductors

STOCK CODE : 645-979 **PRICE : HK$ 1,853.00**

DCM2039
鉗錶
Clamp Meter

* AC current range : 400 A, 1000A
* Resolution : 0,1 A
* a.c. & d.c. models for various applications
* Hand Guard designed for operator safety
* Jaw size up to 51 mm diameter for large conductors

STOCK CODE : 645-980 **PRICE : HK$ 2,757.00**

FLEXICLAMP 200
鉗錶
Clamp Meter

* Measures current in multicore call with no need to split conductors - simply clamp around the whole cable
* Measures current in single, two or three core (flat or round) cables
* No need to remove equipment covers or panels
* No need to split cores - ideal for immersion/storag heaters
* Maximum range : 40 A multi core, 200 A single core

STOCK CODE : 645-984 **PRICE : HK$ 1,541.00**

其他 Others

AVO MEGGER B131
雙顯示參數測試計
Dual Display Parameter Measurements

* Measurement Resistance ranges 10, 100, 1k, 10k, 100k, 1M, 10MR Basic Accuracy ±0.5% + 3 digits
* Inductance ranges 1m, 10m, 100m, 1, 10, 100, 1000, 10000H Basic Accuracy ±0.7% + 5 digits
* Capacitance ranges 1n, 10n, 100n, 1U, 10U, 100U 1mF Basic accuracy±0.7% + 3 digits

STOCK CODE : 646-068 **PRICE : HK$ 3,335.00**

DC Dielectric Test Set (220072)
多功能電工安全計
Multi Function Electrical Safety Tester

* Fast charging of high capacitance equipment
* Continuously variable test voltage: 0 to 70K VDC
* BIDDLE dc dielectric test sets are line operated instruments that measure leakage current while applying a dc voltage at or above the insulation system's operating level

STOCK CODE : 647-152 **PRICE : HK$ 104,938.00**

其他 Others

DET2/2
地阻測試計
Ground Resistance Tester

* Test Voltage 50V max for safely
* A robust versatile instrument with IP54 protection
* Filter and high current features to enable valid earth testing in difficult situations
* High resolution, 1 mOhm, ideal for large earthing systems

STOCK CODE : 644-203 **PRICE : HK$ 26,324.00**

MHP-2 UK230
高壓測試計
High-Pot Tester

* MHP2 offers both ac and dc outputs
* The MEGGER MHP2 (3 kVAC/4 kVDC) High-Pot Testers are
* Test voltage starts at zero crossing
* Transient free voltage
* Press to test or toggle ON/OFF

STOCK CODE : 645-959 **PRICE : HK$ 22,233.00**

OTS60PB
自動油測試套件
Automatic Oil Test Set

* On completion, the mean value of the tests in sequence is given and the value of each individual test may be recalled
* Reduces the operator's tasks to preparing and loading the oil sample into the test chamber and initiating the required test sequence

STOCK CODE : 646-542 **PRICE : HK$ 64,240.00**

OTS60SX
半自動測油套件
Semi Automatic Oil Test Set

* Requires a vessel to be operated
* A choice of vessels is available with or without stirrers
* Lightweight, semi automatic, oil dielectric strength test set that is suitable for field use and can be powered from a range of mains supplies
* A selection of vessels, with test electrodes (sold separately) based on ASTM procedures, allows the instrument to be configured for a variety of test standards

STOCK CODE : 646-541 **PRICE : HK$ 47,531.00**

Phase Sequence
馬達及相位電源檢知器
Motor And Phase Rotation Tester

* Complete phase-sequence and motor-rotation testing in one instrument
* Ensures correct phase hookup in one easy test
* Rugged and portable tester
* Preforms additional polarity and continuity checks

STOCK CODE : 647-155 **PRICE : HK$ 3,830.00**

TDR1000
電纜故障定位器
Cable Fault Locator

* Simple operation
* Fast fault find facility
* TX Null transmission pulse nulling
* Adjustable cable impedance
* No blocking filter required

STOCK CODE : 645-969 **PRICE : HK$ 14,696.00**

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

其他 Others

TDR2000
電纜故障定位器
Cable Fault Locator
* 20 km range at VF = 0.90
* Dual cursor measurement
* Intermittent fault location
* Output pulse amplitude and width control
* "TX Null" technology



STOCK CODE : 645-680 **PRICE : HK$ 25,071.00**

Three-Phase TTR (550503-47)
三相電變壓器線圈比率測試套件
Three-Phase Transformer Turns Ratio Test Set
* Fully automatic operation
* Measures three phases simultaneously
* Highest ratio measurement (45,000:1); highest accuracy (0.1%)
* Built-in storage and downloading capabilities
* Measures ALL power transformers, PT's and CT's



STOCK CODE : 647-154 **PRICE : HK$ 107,813.00**

電源供應 Power Supply

1.5 Watt BY-L Series
隔離式直流-直流轉換器
Isolated DC-DC Converter
* Ultra Low Noise 8mV p-p Analog Circuits
* 24pin DIP IC Size
* High reliability : MTBF 1,000,000 Hrs
* Isolated Type : 500VDC , 100pF
* Input Voltage: 5VDC



MODEL	O/P	STOCK CODE	PRICE (HK$)
BY05-05S30L	5V, 300mA	648-525	450.00
BY05-15S10L	15V,100mA	648-526	450.00



空氣質素儀 Indoor Air Quality (I.A.Q) Monitor

BW IAQ-1
室內空氣品質監察儀
Indoor Air Quality (I.A.Q) Monitor
* Measure Carbon Dioxide (CO_2) only
* Measuring Range : CO_2 (0~10,000ppm)
* Audible, visual and vibrating alarm
* Peak readings on demand : STEL and TWA



STOCK CODE : 646-800 **PRICE : HK$ 6,201.00**

BW IAQ-1-DL
室內空氣品質監察儀
Indoor Air Quality (I.A.Q) Monitor
* Measure Carbon Dioxide (CO_2) only
* Measuring Range : CO_2 (0~10,000ppm)
* Audible, visual and vibrating alarm
* Peak readings on demand : STEL and TWA
* Data-logging function & download data to computer via infrared port



STOCK CODE : 646-803 **PRICE : HK$ 8,541.00**

BW IAQ-2
室內空氣品質監察儀
Indoor Air Quality (I.A.Q) Monitor
* Measure Carbon Dioxide (CO_2) & Carbon Monoxide (CO)
* Measuring Range : CO_2 (0~10,000ppm), CO (0~500ppm)
* Audible, visual and vibrating alarm
* Peak readings on demand : STEL and TWA



STOCK CODE : 646-799 **PRICE : HK$ 6,981.00**

BW IAQ-2-DL
室內空氣品質監察儀
Indoor Air Quality (I.A.Q) Monitor
* Measure Carbon Dioxide (CO_2) & Carbon Monoxide (CO)
* Measuring Range : CO_2 (0~10,000ppm), CO (0~500ppm)
* Audible, visual and vibrating alarm
* Peak readings on demand : STEL and TWA
* Data-logging function & download data to computer via infrared port



STOCK CODE : 646-802 **PRICE : HK$ 9,321.00**

BW IAQ-3
室內空氣品質監察儀
Indoor Air Quality (I.A.Q) Monitor
* Measure Temp(℃), Humidity(%RH) & Carbon Dioxide(CO_2)
* Measuring Range : Temp (-5 ℃ ~ 50 ℃), Humidity (0~95%), CO_2 (0~10,000ppm)
* Audible, visual and vibrating alarm
* Peak readings on demand : STEL and TWA



STOCK CODE : 646-798 **PRICE : HK$ 6,981.00**

BW IAQ-3-DL
室內空氣品質監察儀
Indoor Air Quality (I.A.Q) Monitor
* Measure Temp(℃), Humidity(%RH) & Carbon Dioxide(CO_2)
* Measuring Range : Temp (-5 ℃ ~ 50 ℃),
* Humidity (0~95%), CO_2 (0~10,000ppm)
* Audible, visual and vibrating alarm
* Peak readings on demand : STEL and TWA
* Data-logging function & download data to computer via infrared port



STOCK CODE : 646-801 **PRICE : HK$ 9,321.00**

空氣質素儀 Indoor Air Quality (I.A.Q) Monitor

BW IAQ-4
室內空氣品質監察儀
Indoor Air Quality (I.A.Q) Monitor
* Measure Temp(℃), Humidity(%RH),Carbon Dioxide(CO_2) & Carbon Monoxide(CO)
* Measuring Range : Temp (-5 ℃ ~ 50 ℃), Humidity (0~95%), CO_2 (0~10,000ppm), CO (0~500ppm)
* Audible, visual and vibrating alarm
* Peak readings on demand : STEL and TWA



STOCK CODE : 646-797 **PRICE : HK$ 9,100.00**

BW IAQ-4-DL
室內空氣品質監察儀
Indoor Air Quality (I.A.Q) Monitor
* Measure Temp(℃), Humidity(%RH), CarbonDioxide(CO_2) & Carbon Monoxide (CO)
* Measuring Range : Temp (-5 ℃ ~ 50 ℃), Humidity (0~95%), CO_2 (0~10,000ppm), CO (0~500ppm)
* Audible, visual and vibrating alarm
* Peak readings on demand : STEL and TWA
* Data-logging function & download data to computer via infrared port



STOCK CODE : 646-642 **PRICE : HK$ 10,101.00**

個人安全監察儀 Personnel Safety Monitor

BW GasAlert (Single Gas)
防爆單組氣體探測器
Ex-Proof Single Gas Detector
* Measure H_2S, CO, SO_2, Cl_2, HCN, NO_2, NH_3, PH_3 or O_2
* Measuring Range : H_2S (100ppm), CO (1,000ppm), SO_2 (100ppm), Cl_2 (50.0ppm), HCN (30.0ppm), NO_2 (100ppm), NH_3 (100ppm), PH_3 (5.0ppm) or O_2 (30% by vol.)
* Continuous LCD shows real-time gas concentration with backlight in low light (auto); in alarm (auto) and on demand
* Provides 90 dB tone and bright LED indication on alarm



MODEL	STOCK CODE	PRICE (HK$)
GA-H H2S DETECTOR	647-059	3,498.00
GA-M CO DETECTOR	647-060	3,498.00
GA-S SO2 DETECTOR	647-061	4,485.00
GA-C CI2 DETECTOR	647-062	4,810.00
GA-Z HCN DETECTOR	647-063	4,485.00
GA-D NO2 DETECTOR	647-064	4,485.00
GA-A NH3 DETECTOR	647-065	4,550.00
GA-P PH3 DETECTOR	647-066	4,485.00
GA-2X O2 DETECTOR	647-067	3,536.00

BW GasAlertClip
防爆用完即棄氣體探測器
Ex-Proof Disposable Gas Detector
* Measure H_2S, CO or O_2
* Measuring Range : H_2S (100ppm), CO (300ppm), O_2 (30% by vol.)
* 2 year disposable for H_2S/ CO & 1 year disposable for O_2. Zero maintenance costs involved
* Continuous, alphanumeric, Static LCD shows detector life remaining and alarm setpoints
* Records and displays the peak alarm encountered and time since the exposure occurred



MODEL	STOCK CODE	PRICE (HK$)
GA24-H H2S DETECTOR	647-068	2,938.00
GA24-M CO DETECTOR	647-069	2,340.00

BW GasAlertMax
防爆多氣體探測器
Ex-Proof Multi-Gas Detector
* Measure H_2S, CO, O_2 and Combustibles
* Measuring Range: H_2S (100ppm), CO (500ppm), O_2 (30% by vol.), Combustibles (100%LEL or 0.5%vol. by methane) - Continuous LCD shows simultaneous gas concentrations
* Provides 95 dB alarm tone and two bright wide-angled alarm bars
* Optional data-logging function & can download data to computer via software



MODEL	STOCK CODE	PRICE (HK$)
GAMAX-3	647-072	13,131.00
H2S, CO, O2, LEL DETECTOR		

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.