電腦網絡管理
Network Management FLUKE

Fluke DSP-LIA012S
CAT5E 網絡線電路接合器
CAT 5E Channel Adapter
* CAT 5E Channel adapter for Fluke Cable Analyzer
* Compliant Standards: EIA/TIA-568 CAT.5E
* Use w/ Fluke DSP-4000 series Cable Analyzer
* Precision measurement and quality control for LAN
* Industrial electronic installation, maintenance for LAN



STOCK CODE : 644-112 PRICE : HK$ 2,300.00

Fluke DSP-LIA011S
CAT5E 網絡線接合器
CAT5E Cable Adapter
* CAT 5E basic link adapter for Fluke Cable Tester
* Compliant Standards: EIA/TIA-568 CAT.5E
* Use w/ Fluke DSP-4000 series Cable Analyzer
* Precision measurement and quality control for LAN
* Industrial electronic installation, maintenance for LAN



STOCK CODE : 644-111 PRICE : HK$ 2,990.00

Fluke DSP-CMS
網絡管理軟件
Fluke Cable Manager Software
* Software option for DSP-100 Digital cable tester
* Powerful Cable Manager Software
* Easily organize, find, edit, print and save the cable test result
* Information in a database can be sorting and searching via fields
* Fields such as Cable ID, SIte and Pass/Fail



STOCK CODE : 644-109 PRICE : HK$ 2,520.00

Fluke N6203
STP 附件套件
STP Accessory Kit
* Accessories for 620 LAN CableMeter
* STP(IBM type1) Cable kit, contains
* IBM Data Connector to DB9 male cable (3 ft/1m)
* IBM Data Connector to RJ45 adapter



STOCK CODE : 644-097 PRICE : HK$ 1,250.00

Fluke DTX-1800
網絡線分析儀
LAN Cable Analyzer
* 9-second Cat 6 Autotest to meet with TIA-568-B certification requirements
* 900 MHz frequency range for analyzing 10 Gigabit Ethernet, Class F and CATV
* Resident fiber modules switch between copper and fiber with the push of a button
* Includes Smart Remote, LinkWare PC software, 32MB MMC card
* Includes Cat6/Class E Link Adapter, USB Interface Cable



STOCK CODE : 647-270 PRICE : HK$ 65,750.00

Fluke ES-EXT-KIT
乙太網絡示波器
EtherScope - Network Assistant
* Solve 10/100/Gigabit Ethernet network problems fast
* Wired & wireless LAN analyzer : 802.11a/b/g wireless network
* Analyze network traffic
* Discover devices, networks, VLANs, access points, mobile clients and more
* USB mini keyboard and WireView 2-6 included



STOCK CODE : 647-345 PRICE : HK$ 64,400.00

電腦網絡管理
Network Management FLUKE

Fluke LinkRunner Kit
核對線上工作連線
Verify Network Connectivity
* Determine whether the drop of LAN cable is active
* Media Access: 10BASE-T and 100BASE-TX LAN Cable
* Identify its speed, duplex capabilities and service type
* Cable Tests: Length, open, short, splits, wiremap, crossed, straight through
* Interface Ports : RJ-45 LAN, RJ-45 Wiremap



STOCK CODE : 646-257 PRICE : HK$ 7,840.00

設備測試器
Installation Tester FLUKE

Fluke 1651
多功能設備測試器
Multifunction Installation Testers
* Verify the safety of IEC60364 electrical installation
* ACV range: 500V with PFC/PSC test
* Continuity testing: 20, 200, 2000Ω ranges
* Insulation Resistance measurement, Earth Resistance Test
* Loop/Line Impedance measurement: Phase to earth, phase to neutral test
* RCD Test, Tripping Time Test



STOCK CODE : 646-821 PRICE : HK$ 6,049.00

磁場錶
Gauss Meter F.W.BELL

F.W.BELL-6010
霍爾效應/特斯拉儀
Hall Effect Gauss / Tesla Meter
* Measurement up to 300 kG (30T) with F.W.BELL's exclusive Dynamic Probe Correction feature
* Peak Hold, Max/Min Hold, Auto Zero, Auto Range, Relative Mode and Temperature measurement
* RS-232 communications port
* Temperature reading: -40 to 85 °C
* Dual 3 3/4 digit LCD readouts



STOCK CODE : 647-401 PRICE : HK$ 27,850.00

天秤
Scale FWE

ACS1K5A/P
1.5KG 價格天秤
1.5KG Pricing Scale
* Price computing, scale
* Automatic overload alarming at 100.15%
* Large LCD display area: 74 x 60 mm
* Measuring range: 0 to 1.5 kg
* Resolution: 0.2g



STOCK CODE : 647-593 PRICE : HK$ 900.00

ACS7K5A/P
75KG 價格天秤
7.5KG Pricing Scale
* Price computing, scale
* Automatic overload alarming at 100.15%
* Large LCD display area: 74 x 60 mm
* Measuring range: 0 to 7.5 kg
* Resolution: 0.5g / 1g / 2g



STOCK CODE : 647-594 PRICE : HK$ 900.00

MS-150B
150G 口袋型天秤
150G Pocket Scale
* Measuring resolution: 0.05gm
* Measuring range: 0 to 150 gm
* Size: 112 x 70 x 18 mm
* Weight: 80gm



STOCK CODE : 647-596 PRICE : HK$ 220.00

LCR 電橋錶
LCR Meter GRUNDIG

RLC100
LCR 電橋錶
LCR Meter
* Right measuring instrument for the Parameter measurement of passive components in daily laboratory and service work
* Complete remote control via standard interface RS 232 C
* Measuring parameters : R,L,C,Q(D),△,δ
* Measuring frequencies : 1 kHz +/- 3%
* Measuring range (R) from 1 mΩ ohm to 1.999 MΩ
* Measuring range (L) from 0.1㎂H to 1.999 H
* Measuring range (C) from 0.1 pF to 1.999 mF



STOCK CODE : 644-262 PRICE : HK$ 5,800.00

RLC200
實時 LCR 電橋錶
Real-time LCR Meter
* Designed for the manual or fully automatic measurement of components
* All the usual component parameters such as resistance, conductance, inductance, capacitance, Q factor and loss factor - can be determined with a basic accuracy of 0.2%
* Measuring parameters : R, G, C, L, D, Q, U=,△/△%
* Measuring frequencies : 100 Hz, 1 kHz
* Measuring time : 200ms



STOCK CODE : 644-425 PRICE : HK$ 11,300.00

示波器
Oscilloscope HAMEG

HM1507-3
模擬數字量示波器
Analog-Digital Oscilloscope
* 2 Channels 150MHz Analog/ Digital Oscilloscope
* Storage 2x2048x8 bit
* Auto set, Save & Recall
* Readout & Cursor (Analog/Digital)
* Built-in RS232 interface



STOCK CODE : 645-060 PRICE : HK$ 14,495.00

HM507
50MHz 模擬數字量式示波器
50MHz Analog-Digital-Oscilloscope
* 1GS/S Random Sampling Rate
* 100MS/S Real Time Sampling Rate
* 2 Channels, DC-50MHz, 1mV-20V/div.
* Component Tester and 4 Digit Resolution
* 100MHz Frequency & Periode Counter



STOCK CODE : 644-982 PRICE : HK$ 9,800.00

HM504
50MHz 模擬示波器
50MHz Analog-Oscilloscope
* 2 Channels, DC-50MHz, 1 mV-20V/div Component Tester
* Triggering DC - 100MHz (autom. Peak to Peak) > 0.5div.
* Time Base 0.5s - "10ns/div, with Delay and 2nd Trigger
* 7 Automatic Measurement Routines, Built-in Calibrate Menu
* 100MHz Frequency & Periode Counter, 4 Digit Resolution



STOCK CODE : 644-403 PRICE : HK$ 8,430.00

HM1004 (100MHz)
模擬示波器
Analog Oscilloscope
* 2 Channels, 1mV - 20V / div.
* Time Base A : 0.5s - 5ns / div.
* Time Base B : 20ms - 5ns / div.
* Triggering DC - 200 MHz
* Alternate Trigger, Component Test



STOCK CODE : 645-059 PRICE : HK$ 9,224.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

示波器 Oscilloscope

HM2005 (200MHz)
模擬示波器
Analog Oscilloscope

* 2 Channels, 1mV - 5V/dw
* Time Base A : 0.5s - 2ns/dw
* Time Base B : 20ms - 2ns/div
* Triggering DC - 300MHz
* Alternate Trigger, Component Test

STOCK CODE : 645-061 **PRICE : HK$ 13,445.00**

HM303-6
35MHz 標準示波器
35MHz Standard Oscilloscope

* Vertical : 2 Channels, DC - 35MHz, -1mV/div. - 20V/div.
* Time Base : 0.2s to 10ns/div.; Variable Hold Off; Alternate Triggering
* Triggering: DC-100MHz; Auto peak- to-peak; Active TV Sync. Separator
* Additional Features : Component Tester, 1 kHz/1 MHz Calibrator

STOCK CODE : 645-056 **PRICE : HK$ 4,940.00**

頻譜分析計 Spectrum Analyzer

HM5510
頻譜分析計
Spectrum Analyzer

* Frequecny Range: 150kHz to 1050 MHz
* Resolution Bandwidths: 20kHz and 500 kHz
* Amplitude Range : -100dBm to +10dBm
* Phase-Locked Direct Digital Synthesis (DDS)
* Test Signal Output: 10MHz , 0 dBm , 50Ω

STOCK CODE : 647-303 **PRICE : HK$ 16,800.00**

HM5511
頻譜分析計連跟蹤發生器
Spectrum Analyzer With Tracking Generator

* Frequecny Range: 150kHz to 1050 MHz
* Resolution Bandwidths: 20kHz and 500 kHz
* Amplitude Range : -100dBm to +10dBm
* Tracking Gen Freq Range: 0.15 MHz to 1.050 GHz
* Tracking Gen Output Level: -50 dBm to 0 dBm (50Ω)

STOCK CODE : 647-304 **PRICE : HK$ 21,800.00**

HM5014-2
頻譜分析計
Spectrum Analyzer

* Continuous frequency range from 150 kHz to 1050 MHz
* Amplitude range from :-100 dBm to +10 dBm 80 dB on-screen
* Resolution bandwidths of 9 kHz, 120 kHz, 1 MHz
* Intermodulation-free dynamic range 75 dB
* Save / Recall and Tranking Generator

STOCK CODE : 645-063 **PRICE : HK$ 22,500.00**

HM6042
電晶體曲線描繪器
Curve Tracer

* Ease of Operation
* Characterisation and Test of Semiconductor Devices
* Accurate Cursor Measurements
* Quick and easy Comparison of Semiconductors
* Reference Data Memory

STOCK CODE : 645-874 **PRICE : HK$ 11,000.00**

頻譜分析計 Spectrum Analyer

HM6050-2
電磁波干擾測量設備
EMC-Measurement Equipment

* Frequency range : 9kHz...30MHz
* Impedance characteristic: Z=50Ω || (50uH+5Ω)
* Tolerance : <20% according to VDE 0876T1
* Continuous operating current : 16A
* Max. permissible voltage : 240V
* Max. line/mains frequency : 63Hz

STOCK CODE : 645-064 **PRICE : HK$ 8,907.00**

數字量萬用表 Digital Multimeter

HM8011-3
數字量萬用表
Digital Multimeter

* 4 1/2-Digit LED Display (19.999 Indication)
* True RMS Measurements
* Maximum Resolution 10μV, 10nA and 10mΩ
* Current Measurement up to 20 Amps
* 0.05% DC Accuracy

STOCK CODE : 641-506 **PRICE : HK$ 3,015.00**

附件 Accessories

HAMEG HZ10R
矽樹脂測試導線
Silicone Test Leads

* Silicone sheathed test lead with stackable banana plugs
* Length: 1m
* Color: Red
* Packaging unit: Set of 5

STOCK CODE : 647-815 **PRICE : HK$ 250.00**

HZ115
探測棒
Probe

* Max. differential Input Voltage (DC+AC pk) : ±1500V
* Max. Input Voltage (each input) (rms) : ±1500V
* Input Impedance : 60MΩ / 1.5 pF
* Accuracy (after 1 min, 18 °C - 30 °C) : ±3%
* Max. Output Voltage (load 1 MΩ) : ±1.5V

STOCK CODE : 645-069 **PRICE : HK$ 2,798.00**

HZ530
探測棒
Probes


Frequency range	: 0.1MHz to 1000MHz (lower frequency limit depends on probe type)
Output impedance	: 50Ω
Output connector	: BNC-(M)
Input capacitance	: 2pF (high imped. probe)
Max. Save input level	: +10dBm
1dB-compression point	: -2dBm (frequency range dependent)
DC-input voltage	: 20V max
Supply voltage	: 6V DC (4 AA size batteries or Supply power of all Hamegs Spectrum Analyzers)
Supply current	: 8mA (H-Field Probe) ; 15mA (E-FieldProbe) 24mA (High imp.Probe)
Probe dimensions	: 40x19x195mm (WxDxL)
Housing	: Plastic (electrically shielded internally)
Package contents	: Carrying case ; 1 H-Field Probe 1 E-Field Probe ; 1 High Impedance Probe 1 BNC cable (1.5m) ; 1 Power Supply Cable (Batteries or Ni-Cads are not included)

STOCK CODE : 645-861 **PRICE : HK$ 4,810.00**

附件 Accessories

HAMEG HZ52
示波器探測棒
Oscilloscope Probe

* Bandwidth: 250 MHz
* Rise Time: <1,4 ns
* Input Impedance: 10 MΩ II 10pF
* Max. voltage: 600V (DC + Peak AC)

STOCK CODE : 647-485 **PRICE : HK$ 700.00**

8100系列 System Instruments Series 8100

HM8115
遙控程控能量儀
Remote Programmable Power Meter

* Power Measurement 0 to 8 kW
* Simultaneous Reading of Voltage, Current and Power
* Power (Watts), Reactive Power (VAR) and Phase (cos θ) selectable
* Auto Ranging, Remote Programmable (RS-232)
* BNC, galvanic isolation to measurement circuit and interface

STOCK CODE : 645-067 **PRICE : HK$ 3,960.00**

HM8122
萬用計數器
Universal Counter

* Frequency Range : 0 - 1600MHz ; 3 Inputs
* 9 Measurement Functions : Ext. Gate and Arming
* Up to 9-digit Resolution at 1second Gate Time
* 100MHz Time Base with 0.5ppm Stability
* IEEE-488 Bus or RS-232 Interface, optional

STOCK CODE : 645-065 **PRICE : HK$ 7,500.00**

HM8130
函數產生器
Function Generator

* Synthesized Function Generator Basic Frequency : 10mHz to 10MHz
* 5 Standard Waveforms ; Sweep Mode Arbitrary Waveform Generation (1024 x 1024 points)
* External Gating and external Triggering

STOCK CODE : 641-530 **PRICE : HK$ 8,899.00**

HM8131-2
函數產生器
Function Generator

* Direct Digitally Synthesized Function Generator
* Frequency Range: 10μHz to 15MHz
* Resolution: 100μHz
* Memory Card for Signal Registration
* Arbitrary Waveform Generation

STOCK CODE : 641-531 **PRICE : HK$ 12,184.00**

HM8134-3
函數產生器
Function Generator

* Programmable RF Signal Generator
* Frequency Range 1 Hz to 1.2GHz
* Frequency Accuracy ±0.5x10^{-6}
* Resolution 1 Hz; AM/FM modulation
* Option IEEE-488 or RS-232 Interface

STOCK CODE : 645-071 **PRICE : HK$ 33,960.00**

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

8000系列
Modular System Series 8000 HAMEG

HM8014
低阻計(毫歐姆錶)
Milliohm Meter



* 200mΩ to 20kΩ Measurement Range (6 Ranges)
* 0.1 mΩ Maximum Resolution
* 20mA max. Meas. Current; Probe Tip Voltage : 4mV
* Diode Test Function; Audible Fault Tone
* 3½ Digit LED Numeric Display

STOCK CODE : 645-075 PRICE : HK$ 2,600.00

HM8018
L-C電橋儀
L-C Meter



* 24 Measurement Ranges
* Max. Resolution : 0.1pF / 0.1μH / 0.01Ω / 0.01μS
* 3 Test Frequencies (160Hz, 1.6kHz, 16kHz)
* 4-Point Measurement Technology
* Basic Accuracy 0.5%

STOCK CODE : 644-150 PRICE : HK$ 2,600.00

HM8021-4
萬用計數器
Univeral Counter



* Frequency Range : DC to 1.6GHz.
* Sensitivity: 20mV
* 7 Measuring Functions
* 3 Selectable Gate Times; External Gate (option H801)
* 8 Digit LED-Display + Sign + Exponent
* Temperature-Compensated, Time Base (TCXO) 5x10-7
* Selectable Auto Trigger

STOCK CODE : 641-507 PRICE : HK$ 3,000.00

HM8027
失真儀
Distortion Meter



* Frequency Range: 20Hz to 20kHz
* Resolution: 0.01%, maximum
* Display: 3 Digit LED
* Automatic Frequency Fine-Tuning
* Monitor Output for Distortion Analysis with HM8037

STOCK CODE : 641-012 PRICE : HK$ 2,380.00

HM8030-6
函數產生器
Function Generator



* Frequency Range 0.05Hz to 5MHz
* Digital Frequency Readout (4 digit)
* Waveforms : Sine, Square, Triangle
* DC-Offset Adjustment, Trigger Output
* Internal sweep and External FM-Modulation input
* Fast Square Wave Rise Time (typical 15ns)
* Distortion Factor <0.5% (up to 100kHz)

STOCK CODE : 641-495 PRICE : HK$ 2,921.00

HM8032
正弦揮動產生器
Sine Wave Generator



* Frequency Range : 20Hz to 20MHz
* Distortion : <0.2% (20Hz-500kHz)
* Digital Frequency Readout
* Output Voltage : 1.5Vrms into 50Ω
* Amplitude Flatness : ±0.2dB
* 2 Outputs (Impedance 50Ω /600Ω)

STOCK CODE : 641-529 PRICE : HK$ 3,006.00

8000系列
Modular System Series 8000 HAMEG

HM8035
脈衝產生器
Pulse Generator



* Frequency Range : 2Hz to 20MHz
* Pulse Duration : 20ns to 200ms
* Pulse Duty Factor : up to 99.9999
* Rise Time : <3ns.
* 2 Separate Outputs (±)
* Single Pulse Capability
* Indicator width > period

STOCK CODE : 645-073 PRICE : HK$ 4,000.00

HM8037
正弦波產生器
Sine Wave Generator



* Frequency Range : 5Hz to 50kHz
* Distortion : <0.01%
* Digital Frequency Readout, 3 Digit
* Output Voltage : ≥1.5V into 600Ω
* Output Floating
* High Amplitude Stability

STOCK CODE : 645-072 PRICE : HK$ 2,150.00

HM8040-2
三組電源供應
Triple Power Supply



* 3 independent DC Supply Voltages
* 2 x 0 - 20V, 0.5A; 1x5V, 1A (when operated with HM8001-2 mainframe unit)
* Floating Outputs
* Digital Display for Voltage and Current
* Adjustable Current Limiter
* Parallel and Serial Operation

STOCK CODE : 645-875 PRICE : HK$ 1,865.00

HM8142
程控電源供應
Programmable Power Supply



* Dual 30VDC /1A, Variable; 5VDC/2A Fixed
* 3 Independent, Electrically isolated outputs
* Programmable via PC
* Programmable Load (modulating import)
* Arbitrary-Waveform Function (up to 512 points)

STOCK CODE : 645-877 PRICE : HK$ 8,899.00

HM8001-2
機箱連電源供應
Mainframe with Power Supply



* Basic Housing Unit for Modular System Series 8000
* With power supply for two modules
* DC voltages electronically regulated, floating and short-circuit proof
* Up to 5 mainframes can be stacked
* Power transformer with thermal fuse

STOCK CODE : 641-505 PRICE : HK$ 2,168.00

電源供應
Power Supply HAMEG

HM7042-4
三組電源供應
Triple Power Supply



* 3 independent DC Supply Voltages
* 2 x 0-32V, 2A; +0 - 5, 5V/5A
* Floating Outputs
* Digital Display for Voltage and Current
* Adjustable Current Limiter
* Parallel and Serial Operation

STOCK CODE : 647-177 PRICE : HK$ 4,370.00

電源供應
Power Supply HAMEG

HM7044
程控電源供應
Programmable Power Supply



* Four isolated outputs, 0-32V / 0-3A (96W)
* Maximum power in a very small cabinet volume
* Intelligent Programmable Safety Circuits
* Tracking Mode on all four outputs
* Detection of sense line interruption
* Excellent low ripple & noise voltage on all outputs (<1mV)
* Programmable via RS-232 interface

STOCK CODE : 645-878 PRICE : HK$ 13,465.00

溫度計
Thermometer HART

HART 1529R-256
四頻道溫度探錶
Precision 4-channel Standard Thermometer



* 4 channels Thermometer for PRT/RTD input
* Log up to 8000 readings with data and time stamps
* Temperature Range: -189 to 960°C
* Accuracy: ±0.009°C at 100°C
* Communications: RS-232 and IR ports included, IEEE-488 (GPIB) optional

STOCK CODE : 646-716 PRICE : HK$ 33,225.00





Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.