失真計 Distortion Meter — JUNG JIN

DM-2100
失真計
Distortion Meter



* Distortion, Sinad, Frequency, Level Measurement
* Spot signal generator (1kHz/400Hz)
* Spot frequency filer (1kHz/400Hz)
* CCITT filter included
* Big size analogue meter
* Automatic frequency selection
* 4 digits frequency counter
* 3 digits delta dB display

STOCK CODE : 641-541 PRICE : HK$ 7,850.00

信納測量錶 Sinad Meter — JUNG JIN

SM-8100
信納測量錶
Sinad Meter



* With CCITT filter
* Input level bar graph monitor
* Range AUTO/MANUAL selection
* Dot band typed meter
* Measurement maximum 30dB sinad
* 1kHz oscillator output
* Speaker monitor
* Revolutionary designed automatic distortion meter for real time measurement of sinad sensitivity

STOCK CODE : 645-087 PRICE : HK$ 2,800.00

磁場儀 Magnetization Inspection — KANETEC

TM-601
物質磁化檢查器
Natural Magnetization Inspection



* Checking iron-removing magnetic bars in the food processing process
* Measuring residual magnetism of electronic components
* Inspection of mechanical stress in stainless steel products
* Range: 0 to 1500 mT (0 - 15,000 G)
* Resolution: 0.01 mT (0.1 G)
* Power: Battery 1.5V x 4 pieces
* Size: 140H x 64W x 30D mm

STOCK CODE : 646-620 PRICE : HK$ 4,880.00

示波器 Oscilloscope — KENWOOD

KENWOOD CS-5455
50兆赫模擬量示波器
50MHz Analog Oscilloscope



* Channels: 3-Channel 8-Trace Waveform Display
* Maximum Sweep Rate of 5 ns/div (x10 MAG)
* Built in Video Clamp Circuit for Easy Operation
* V Mode Sync for Stable Display of 3 Signals
* Bandwidth : 50MHz

STOCK CODE : 644-516 PRICE : HK$ 7,410.00

KENWOOD VA-2230A
音頻分析儀
Audio Analyzer



* Measurements: frequency, AC/DC level, THD, HD, S/N ratio
* DSP for Measurements Based on FFT Computations
* DDS Signal Generator : 5Hz to 20.09KHz
* GP-IB Provided as Standard
* SINAD Measurement . Two Input/Output Channels

STOCK CODE : 646-494 PRICE : HK$ 40,000.00

空氣流量計 Air flow Tracker — KESTREL

KESTREL 4100
空氣流量計
Pocket Air Flow Tracker



* View data on-screen or upload logger data to PC
* Air flow in cfm, L/s, m³/s, m³/m, m³/h
* Air Velocity in ft/m, mph, m/s, km/h, kts, Beaufort
* Temperature in °F or °C
* Humidity in %
* Additional measurements of dewpoint, wind chill and heat stress index

STOCK CODE : 648-434 PRICE : HK$ 2,800.00

石英測量系統 PI-Network Crystal Measurement System — KH

KH-1120
石英測量系統
Network Crystal Measurement System



* Supports "Direct Impedance Measurement" and "Physical Load Capacitance" methods for FL measurement
* Microsoft Windows 95/98/Me operation
* Full Network Analyser Configuration with built-in Frequency synthesizer and Vector-voltmeter
* Frequency range : 1-120 MHz
* Drive Level : 10nW - 1mW into 25Ω
* Measurement capabilities (more than 48 parameters)

STOCK CODE : 646-014 PRICE : HK$ 5,100.00

KH-1240
石英測量系統
Network Crystal Measurement System



* Supports "Direct Impedance Measurement" and "Physical Load Capacitance" methods for FL measurement
* Microsoft Windows 95/98/Me operation
* Full Network Analyser Configuration with built-in Frequency synthesizer and Vector-voltmeter
* Frequency range : 20 KHz, 400 KHz, 500KHz, 240MHz
* Drive Level : 10nW - 1mW into 25Ω
* Measurement capabilities (more than 48 parameters)

STOCK CODE : 646-015 PRICE : HK$ 38,844.00

石英測量系統 PI-Network Automatic Quartz Crystal Final Sort Measurement System — KH

KH-3020
石英測量系統
Automatic Quartz Crystal Final Sort System With PI



* High speed DLD measurement (10 points DLD measuring time approx. 0.5 sec)
* Microsoft Windows. operation allows high quality graph and report printout
* Full Network Analyzer Configuration with Built-in Frequency synthesizer and vector
* High accuracy PI-Network Measurement compatible to IEC444
* Frequency range : 1 to 120 MHz
* Measurement throughput : Typical 5500 crystals / hr (depend on crystal Q factor)

STOCK CODE : 646-012 PRICE : CALL

KH-3100
石英測量系統
Automatic Quartz Crystal Final Sort System With PI



* High speed DLD measurement (10 points DLD measuring time approx. 0.5 sec)
* Microsoft Windows. operation allows high quality graph and report printout
* Full Network Analyzer Configuration with Built-in Frequency synthesizer and vector
* High accuracy PI-Network Measurement compatible to IEC444
* Frequency range : 1 to 240 MHz
* Measurement throughput : Typical 5500 crystals / hr (depend on crystal Q factor)

STOCK CODE : 646-013 PRICE : CALL

We welcome any inquiry for products not appear in this catalog

電工安全計 Electrical Safety Tester — KIKUSUI

TOS5051A
抗電壓儀
Withstanding Voltage Tester



* Complies with various safety standards
* AC/DC output (0 to 5 kV)
* Digital voltmeter and ammeter
* Equipped with remote control function
* Various signal outputs
* Automatic discharge function (during DC operation)

STOCK CODE : 645-672 PRICE : HK$ 16,665.00

TOS5052
抗電壓儀
Withstanding Voltage Tester



* Rise-time control function
* Automatically increase test voltage to a specified level as required by these standards
* High-capacity power supply with a maximum rated output of 500VA (5 kV at 100 mA). (Maximum test time : 30 min)
* Perform withstand voltage tests of electronic equipment and components

STOCK CODE : 645-855 PRICE : HK$ 29,925.00

TOS5101
抗電壓儀
Withstanding Voltage Tester



* Complies with various safety standards
* AC/DC output (0 to 10 kV)
* Digital voltmeter and ammeter
* Equipped with remote control function
* Various signal outputs
* Automatic discharge function (during DC operation)

STOCK CODE : 645-856 PRICE : HK$ 33,075.00

TOS6200
接地內阻計
Earth Continuity Tester



* High accuracy
* Equipped with standard GPIB and RS-232C interfaces
* Contact check function that identifies the connection of the device being tested (by current detection) before testing
* A test current for earth continuity testing has been made constant
* Offset canceling function that cancels resistance values

STOCK CODE : 645-854 PRICE : HK$ 21,862.00

直流電源供應 DC Power Supply — KIKUSUI

PMC18-1A
直流電源供應 (CV/CC)
DC Power Supply (CV/CC)



* 0-18V, 0-1A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current

STOCK CODE : 645-257 PRICE : HK$ 3,500.00

PMC18-2A
直流電源供應 (CV/CC)
DC Power Supply (CV/CC)



* 0-18V, 0-2A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current

STOCK CODE : 645-578 PRICE : HK$ 3,600.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

直流電源供應
DC Power Supply

PMC18-3A
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-18V, 0-3A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-580 **PRICE : HK$ 4,750.00**

PMC18-5
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-18V, 0-5A
* Front panel output ON/OFF switch
* 10-turn potentiometer for setting of voltage
* Capacity can be expanded by one-control parallel operation
* Resonably priced & green LED digital meter



STOCK CODE : 645-581 **PRICE : HK$ 4,500.00**

PMC18-5A
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-18V, 0-5A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-582 **PRICE : HK$ 6,000.00**

PMC35-1A
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-35V, 0-1A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-585 **PRICE : HK$ 3,800.00**

PMC35-2
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-35V, 0-2A
* Front panel output ON/OFF switch
* 10-turn potentiometer for setting of voltage
* Capacity can be expanded by one-control parallel operation
* Resonably priced & green LED digital meter



STOCK CODE : 645-586 **PRICE : HK$ 2,800.00**

PMC35-2A
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-35V, 0-2A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-587 **PRICE : HK$ 4,300.00**

直流電源供應
DC Power Supply

PMC35-3
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-35V, 0-3A
* Front panel output ON/OFF switch
* 10-turn potentiometer for setting of voltage
* Capacity can be expanded by one-control parallel operation
* Resonably priced & green LED digital meter



STOCK CODE : 645-588 **PRICE : HK$ 4,300.00**

PMC35-3A
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-35V, 0-3A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-589 **PRICE : HK$ 5,800.00**

PMC70-1A
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-70V, 0-1A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-590 **PRICE : HK$ 4,500.00**

PMC110-0.6A
三組直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-110V, 0-0.6A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-840 **PRICE : HK$ 5,692.00**

PMC160-0.4A
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-160V, 0-0.4A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-841 **PRICE : HK$ 5,692.00**

PMC250-0.25A
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-250V, 0-0.25A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-591 **PRICE : HK$ 4,900.00**

直流電源供應
DC Power Supply

PMC350-0.2A
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-350V, 0-0.2A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-592 **PRICE : HK$ 5,000.00**

PMC500-0.1A
直流電源供應（CV/CC）
DC Power Supply (CV/CC)
* 0-500V, 0-0.1A
* Simultaneous digital display of voltage and current values
* GPIB control by combining with the power supply controllers
* External analog remote control of voltage and current
* 10-turn potentiometer for setting of voltage and current



STOCK CODE : 645-593 **PRICE : HK$ 5,692.00**

高可靠直流電源供應
High Reliability DC Power Supply

PAN16-10A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 16V
* Constant current output (CC) : 0 to 10A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-839 **PRICE : HK$ 9,075.00**

PAN16-18A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 16V
* Constant current output (CC) : 0 to 18A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-838 **PRICE : HK$ 12,210.00**

PAN16-30A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 16V
* Constant current output (CC) : 0 to 30A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-837 **PRICE : HK$ 15,262.00**

PAN16-50A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 16V
* Constant current output (CC) : 0 to 50A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-836 **PRICE : HK$ 26,400.00**

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

高可靠直流電源供應
High Reliability DC Power Supply KIKUSUI

PAN35-5A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 35V
* Constant current output (CC) : 0 to 5A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-835 **PRICE : HK$ 7,425.00**

PAN35-10A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 35V
* Constant current output (CC) : 0 to 10A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-834 **PRICE : HK$ 10,312.00**

PAN35-20A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 35V
* Constant current output (CC) : 0 to 20A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-833 **PRICE : HK$ 14,025.00**

PAN35-30A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 35V
* Constant current output (CC) : 0 to 30A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-832 **PRICE : HK$ 21,450.00**

PAN60-3A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 60V
* Constant current output (CC) : 0 to 3A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 647-111 **PRICE : HK$ 8,663.00**

PAN60-6A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 60V
* Constant current output (CC) : 0 to 6A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 647-112 **PRICE : HK$ 10,725.00**

高可靠直流電源供應
High Reliability DC Power Supply KIKUSUI

PAN60-10A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 60V
* Constant current output (CC) : 0 to 10A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 647-113 **PRICE : HK$ 13,200.00**

PAN60-20A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 60V
* Constant current output (CC) : 0 to 20A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 647-114 **PRICE : HK$ 23,925.00**

PAN70-2.5A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 70V
* Constant current output (CC) : 0 to 2.5A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-827 **PRICE : HK$ 9,075.00**

PAN70-8A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 70V
* Constant current output (CC) : 0 to 8A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-825 **PRICE : HK$ 14,850.00**

PAN70-15A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 70V
* Constant current output (CC) : 0 to 15A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-824 **PRICE : HK$ 23,100.00**

PAN110-1.5A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 110V
* Constant current output (CC) : 0 to 1.5A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-823 **PRICE : HK$ 8,662.00**

高可靠直流電源供應
High Reliability DC Power Supply KIKUSUI

PAN110-3A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 110V
* Constant current output (CC) : 0 to 3A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-822 **PRICE : HK$ 12,375.00**

PAN110-5A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 110V
* Constant current output (CC) : 0 to 5A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-821 **PRICE : HK$ 15,263.00**

PAN110-10A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 110V
* Constant current output (CC) : 0 to 10A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-820 **PRICE : HK$ 23,100.00**

PAN160-1A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 160V
* Constant current output (CC) : 0 to 1A
* Variable output, switching power supplies
* Reliability testing of electronic components
* Portable with an improved space factor making them suitable for system mounting



STOCK CODE : 645-819 **PRICE : HK$ 9,075.00**

PAN160-2A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 160V
* Constant current output (CC) : 0 to 2A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-818 **PRICE : HK$ 13,612.00**

PAN160-3.5A
高可靠直流電源供應
High Reliability DC Power Supply
* Constant voltage output (CV) : 0 to 160V
* Constant current output (CC) : 0 to 3.5A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production



STOCK CODE : 645-817 **PRICE : HK$ 15,263.00**

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

高可靠直流電源供應
High Reliability DC Power Supply KIKUSUI

PAN160-7A
高可靠直流電源供應
High Reliability DC Power Supply

* Constant voltage output (CV) : 0 to 160V
* Constant current output (CC) : 0 to 7A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production

STOCK CODE : 645-816 PRICE : HK$ 23,513.00

PAN250-2.5A
高可靠直流電源供應
High Reliability DC Power Supply

* Constant voltage output (CV) : 0 to 250V
* Constant current output (CC) : 0 to 2.5A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production

STOCK CODE : 645-815 PRICE : HK$ 15,675.00

PAN250-4.5A
高可靠直流電源供應
High Reliability DC Power Supply

* Constant voltage output (CV) : 0 to 250V
* Constant current output (CC) : 0 to 4.5A
* Low temperature drift
* Quick transient response
* Units are suitable for use in a range of fields including research and development, quality control, and production

STOCK CODE : 645-814 PRICE : HK$ 26,400.00

PAN350-3.5A
高可靠直流電源供應
High Reliability DC Power Supply

* Constant voltage output (CV) : 0 to 350V
* Constant current output (CC) : 0 to 3.5A
* Variable output, switching power supplies
* Reliability testing of electronic components
* Portable with an improved space factor making them suitable for system mounting

STOCK CODE : 645-813 PRICE : HK$ 34,650.00

PAN600-2A
高可靠直流電源供應
High Reliability DC Power Supply

* Constant voltage output (CV) : 0 to 600V
* Constant current output (CC) : 0 to 2A
* Variable output, switching power supplies
* Reliability testing of electronic components
* Portable with an improved space factor making them suitable for system mounting

STOCK CODE : 645-812 PRICE : HK$ 34,650.00

雙向追蹤直流電源供應
Dual-Tracking DC Power Supply KIKUSUI

PMR18-1.3TR
雙向追蹤直流電源供應
Dual-Tracking DC Power Supply

* Dual-tracking function capable of varying positive and negative voltages simultaneously
* Preset memory function (three memories) for ease of use and convenience, even in manual operation
* Constant voltage output : 0 to +18V(CH1), 0 to -18V(CH2), 0 to +6V(CH3)
* Constant current output : 0 to +1.3A(CH1), 0 to -1.3A(CH2), 0 to +5A(CH3)

STOCK CODE : 645-844 PRICE : HK$ 13,200.00

雙向追蹤直流電源供應
Dual-Tracking DC Power Supply KIKUSUI

PMR18-2.5DU
雙向追蹤直流電源供應
Dual-Tracking DC Power Supply

* Dual-tracking function capable of varying positive and negative voltages simultaneously
* Preset memory function (three memories) for ease of use and convenience, even in manual operation
* Constant voltage output : 0 to +18V(CH1), 0 to -18V(CH2)
* Constant current output : 0 to +2.5A(CH1), 0 to -2.5A(CH2)

STOCK CODE : 645-846 PRICE : HK$ 11,963.00

PMR24-1QU
雙向追蹤直流電源供應
Dual-Tracking DC Power Supply

* Dual-tracking function capable of varying positive and negative voltages simultaneously
* Preset memory function (three memories) for ease of use and convenience, even in manual operation
* Constant voltage output : 0 to +24V(CH1), 0 to -24V(CH2), 0 to +12V(CH3), 0 to -12V(CH4)
* Constant current output : 0 to +1A(CH1), 0 to -1A(CH2), 0 to +1.5A(CH3), 0 to -1.5A(CH4)

STOCK CODE : 645-842 PRICE : HK$ 13,200.00

PMR25-1TR
雙向追蹤直流電源供應
Dual-Tracking DC Power Supply

* Dual-tracking function capable of varying positive and negative voltages simultaneously
* Preset memory function (three memories) for ease of use and convenience, even in manual operation
* Constant voltage output (CV) : 0 to +25V(CH1), 0 to -25V(CH2), 0 to +6V(CH3)
* Constant current output (CC) : 0 to +1A(CH1), 0 to -1A(CH2), 0 to +5A(CH3)

STOCK CODE : 645-843 PRICE : HK$ 13,200.00

PMR35-1.2DU
雙向追蹤直流電源供應
Dual-Tracking DC Power Supply

* Dual-tracking function capable of varying positive and negative voltages simultaneously
* Preset memory function (three memories) for ease of use and convenience, even in manual operation
* Constant voltage output (CV) : 0 to +35V(CH1), 0 to -35V(CH2)
* Constant current output (CC) : 0 to +1.2A(CH1), 0 to -1.2A(CH2)

STOCK CODE : 645-845 PRICE : HK$ 11,963.00

www.icmaster.com.hk



試驗裝置
Tester KYORITSU

KYORITSU 4105A
數字量式接地測試器
Digital Earth Tester

* Comply to IEC61010-1 safety standard
* Capable of measuring earth voltage
* Automatic warning when resistance of auxiliary earth spikes is in excess of tolerance
* 2mA measuring current permits earth resistance tests without tripping earth leakage current breakers in the circuit under test

STOCK CODE : 646-139 PRICE : HK$ 1,300.00

KYORITSU 6010A
迴路 + 漏電測試器
Loop & RCD Tester

* Integral overload protection on internal continuity and insulation test circuitry
* Allow fast & safe discharge of electrical energy stored in capacitive circuits
* 500VDC test voltage for insulation tests
* 200mA short circuit current on continuity ranges
* Measuring ranges: 0~19.99 and 10.0~199.9MΩ (2 auto ranges)

STOCK CODE : 645-720 PRICE : HK$ 1,800.00

KYORITSU 6050
迴路 + 漏電測試器
Loop & RCD Tester

* Loop impedance 20/2000Ωmeasurement
* Carry out a test current of 15mA to avoid RCD trip
* RCD test at 0 and 180 degree phase angle
* RCD Ramp test to indicate the actual tripping current
* Stored data can be transferred to PC via Optical Adapter Model 8212

STOCK CODE : 647-630 PRICE : HK$ 2,800.00

KYORITSU 2004
AC/DC 數字量電源鉗錶
AC/DC Digital Clamp Meters

* Smallest clamp meter capable of AC and DC current measurements
* Current Range : 20/200A(AC or DC)
* Resolution: Minimum of 0.01A AC/DC
* Voltage measurement range : 500VAC or 200VDC
* Resistance measurement range : 200Ω
* Conductor Size: Ø19mm max

STOCK CODE : 646-888 PRICE : HK$ 1,404.00

KYORITSU 2033
袖珍式電源鉗錶
Mini Clamp Meter

* Smallest clamp meter capable of AC and DC current measurements
* Resolution: 0.01A AC/DC
* Auto zero function to allow one touch zero adjustment
* Frequency Response: DC, 20 ~ 1kHz
* Withstand Voltage: 3700VAC for 1 minute

STOCK CODE : 647-554 PRICE : HK$ 880.00

KYORITSU 8031
相位指示器
Phase Indicator

* Wide 3-phase Voltage Range : From 110 to 600 VAC
* Check the presence of open phase
* Check the phase sequence
* Indication : By rotating disk and lamps on the panel
* Safety standard: IEC61010-1 CAT.III 600V Pollution Degree 2

STOCK CODE : 645-739 PRICE : HK$ 225.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.