距離計 Distance Meter — LEICA

DISTO Pro 4
雷射測距離計
Laser Distance Meter
* Accuracy (typical, max.) : ±3mm/ 0.1 in,±5mm/ 0.2 in
* Transfer data to a computer
* Large data storage
* Predefined attributes
* Calculates geometic shapes
* Multilangual menu guidance
* Various end pieces



STOCK CODE : 645-764 — PRICE : HK$ 4,000.00

DISTO Pro 4a
雷射測距離計
Laser Distance Meter
* Accuracy (typical, max.) : ±1.5 mm/ 0.01 in,±2 mm/ 0.07 in
* Transfer data to a computer
* Large data storage
* Predefined attributes
* Calculates geometic shapes
* Multilangual menu guidance
* Various end pieces



STOCK CODE : 645-765 — PRICE : HK$ 4,600.00

DISTO CLASSIC 5A
雷射測距離計
Laser Distance Meter
* Range: 650ft
* Stored Measurements: 10,000 units
* Measuring Accuracy : 0.1 in
* Built-in telescopic viewer
* Integrated calculator functions



STOCK CODE : 647-503 — PRICE : HK$ 4,000.00

DISTO Plus
雷射測距離計
Laser Distance Meter
* Last technology in high-quality design
* Built-in telescope viewer
* Clear keyboard with function and navigation keys
* Free entry level software "PlusDraw" and "PlusXL" included
* Integrated BLUETOOTH technology
* ±1.5mm/±0.06in typ. measuring accuracy; range of measurement 0.2 - 200m/0.7 - 650 ft



STOCK CODE : 647-161 — PRICE : HK$ 6,800.00

DISTO A2
雷射測距離計
Laser Distance Meter
* The laser dot is clearly visible
* Measured values easy to read, even in the dark
* Measuring range of 0.05 til 60m
* Typ. accuracy ± 1.5mm
* A beep is sounded whenever such a distance point is reached



STOCK CODE : 650-813 — PRICE : HK$ 1,924.00

DISTO A3
雷射測距離計
Laser Distance Meter
* The robust IP54 – for indoor with outdoor aspirations
* Measurement readings are visible even in the dark
* Measuring range of 0.05 til 100m
* Integrated spirit-level function: Horizontal alignment
* Allows measuring of long distances (approx. 80m) without target plate



STOCK CODE : 648-682 — PRICE : HK$ 3,000.00

距離計 Distance Meter — LEICA

DISTO A5
雷射測距離計
Laser Distance Meter
* Fully equiped to tackle any measuring task
* Ergonomic design with soft rubber grip
* Measuring range of 0.05 til 200m
* IP54 Robust enough for outdoor use & Room calculations
* Integrated viewfinder with 2x magnification



STOCK CODE : 648-598 — PRICE : HK$ 4,000.00

漏電鉗錶 Leakage Current Clamp — LEM

LK60
交流電漏電鉗錶
AC Leakage Current Clamp
* Leakage current measurement: down to 10 μA
* AC Current measurement : up to 60A
* Clamp jaw size : wide 40mm (1.5in)
* Auto-range
* Circuit Voltage: <300V rms



STOCK CODE : 648-581 — PRICE : HK$ 5,040.00

無間斷電源供應器 Uninterrupt Power Supply — Liebert

PSA-1000
電源確定型無間斷電源供應器
Power Sure UPS
* Line Interactive UPS with automatic voltage regulation
* Power Rating: 600W / 1000VA
* Voltage Rating: 230VAC 50Hz
* Output Current : 4.3A with Backup Time 5 min under full load
* MultiLink monitoring software interface : via Serial DB-9 port or USB



STOCK CODE : 646-838 — PRICE : HK$ 1,750.00

UH11-0010
在線信賴型無間斷電源供應器
iTrust On-Line Series UPS
* Input Rating : 220VAC single phase, 50Hz
* Output Rating: 1kVA/ 700W , 220VAC
* Battery: 36VDC , 6min full load backup time
* Monitoring: via RS-232
* Size : 155x245x400mm



STOCK CODE : 920-255 — PRICE : HK$ 5,750.00

GXT2-1000RT
在線真確型無間斷電源供應器
True On-Line UPS
* Mounting : Put into smaller 2U Rack cabinets
* Power Rating: 1000VA/700W , 230VAC/3.9A
* User replaceable batteries without removing GXT2 from rack
* Battery Backup Time : 11 minutes
* Bypass capability : internal automatic / manual



STOCK CODE : 919-765 — PRICE : HK$ 5,000.00



We welcome your comments on our products & services

電源鉗錶，顯示及控制儀錶 Clamp Meter & Panel Meter — Lutron

PC-6010
電源鉗錶，高功率
Power Clamp Meter, High Power
* Watt resolution : min. 10 watt
* Watt (true power, 20 KW/100 KW)
* ACA (200A, 600A), AC 600V, DC 200V, 2 KΩ, diode
* Size : 230 x 74 x 38 mm



STOCK CODE : 647-174 — PRICE : HK$ 915.00

DR99ACV
ACV 顯示儀錶（3 1/2數字）
Panel Meter (ACV), 3 1/2 Digits
* 199.9 ACmV - 600 ACV, 5 ranges
* Range can be adjusted by jumper wire
* 110/220/230 ACV power, 14 mm red LED
* DIN size : 96 x 48 mm
* Depth : 104mm



STOCK CODE : 647-175 — PRICE : HK$ 525.00

DR99DCV
DCV 顯示儀錶（3 1/2數字）
Panel Meter (DCV), 3 1/2 Digits
* 199.9 DC μA - 10 DCA, 6 ranges
* Range can be adjusted by jumper wire
* 110/220/230 ACV power, 14 mm red LED
* DIN size : 96 x 48 mm
* Depth : 104mm



STOCK CODE : 647-176 — PRICE : HK$ 505.00

数字量萬用表 Digital Multimeter — Lutron

DM-9090
数字量萬用表
Digital Multimeter
* Multi-function measurement: ACV, DCV, ACA, DCA, ohms, Diode, hFE
* Rotary function switch for easy operation
* Large size 18 mm LCD Display
* Built in overload protection for any ranges
* 3½Digits, Max indication 1999
* Build in fuses for overload protection
* Dimension: 185 x 87 x 39 mm



STOCK CODE : 647-195 — PRICE : HK$ 620.00

相位測試儀 Phase Tester — Lutron

LUTRON RT-606
三相相位測試儀
3 Phase Rotation Tester
* Input voltage: 100VAC up to 660VAC (45 to 70Hz)
* 3 min. limit for over 500VAC
* Cable length: 40 cm
* Fuse rating: 250mA/250V



STOCK CODE : 647-515 — PRICE : HK$ 240.00

頻率計數器 Frequency Counter — Lutron

LUTRON FC-2500A
2.5GHz 頻率計數器
2.5GHz Frequency Counter
* High sensitivity for the VHF & UHF freq. measurement
* Wide measuring range up to 2.6 GHz
* Period, Multi resolution, data hold & record, relative measurement
* Time Base circuit: 4.194 MHz quartz crystal
* Optional telescoping antenna to pick up transmit freq. from mobile radio



STOCK CODE : 644-031 — PRICE : HK$ 900.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

溫度計
Thermometer

TM-914C
雙頻道溫度計
Dual Channel Thermometer
* -40 to 1200 ℃
* Type K, dual channel, pocket size
* Size : 131 x 70 x 25mm



STOCK CODE : 646-795 **PRICE : HK$ 288.00**

TM-916
雙頻道溫度計
Dual Thermometer
* μ-P circuit, LCD with display unit
* Range : -40 to 1230 ℃
* Max., Min., Memory recall button
* ℃ / ℉, 0.1 ℃ / 1 ℉, T1, T2, T1-T2
* Size : 180 x 72 x 72 mm



STOCK CODE : 641-903 **PRICE : HK$ 480.00**

TM-926
溫度計（溫差電偶）
Thermometer (Thermocouple)
* Type K/J/E/T : -100 to 1300 ℃ max., 0.1 ℃/ 0.1 ℉
* Type R : 0 to 1700 ℃, 1 ℃/ 1 ℉
* RS-232, Hold Record (Max., Min.)



STOCK CODE : 646-305 **PRICE : HK$ 430.00**

TP-01, TP-02A, TP-03 TP-04
K 類型溫度探測棒
Type K Temperature Probe
* TP-01 : -40 to 250 ℃, Naked-bead
* TP-02A : -50 to 900 ℃, 3.2 mm Dia. x 10cm
* TP-03 : -50 to 1000 ℃, 8 mm Dia. x 10cm
* TP-04 : -50 to 400 ℃, Surface probe



MODEL	STOCK CODE	PRICE (HK$)
TP-01	641-526	50.00
TP-02A	646-846	221.00
TP-03	646-847	385.00
TP-04	646-848	175.00

LUTRON TC-920
溫度計及校正儀
Thermometer & Calibrator
* 2 in1: Type K thermometer & Type K thermocouple calibrator
* Wide Measurement & Calibrator Range: -199 to 1230 ℃
* Temp measuring input meets any k type (NiCr-NiAl) probe
* Sampling rate: 0.4 second



STOCK CODE : 647-551 **PRICE : HK$ 1,003.00**

LUTRON TM-906A
雙頻道溫度計
Dual Thermometer RS232
* Multi functions, dual channel temperature input
* Differential temperature measurement (T1-T2)
* RS232 PC serial interface
* Wide measuring range from -50 ~ 1230 ℃
* Meet any standard type K(NiCr-NiAl) probe



STOCK CODE : 647-612 **PRICE : HK$ 650.00**

溫度計
Thermometer

LUTRON TM-917HA
精確溫度計0.01℃
Precision Thermometer 0.01℃
* PT100 ohm, thermocouple type K, J, R, E, T
* Max measurement range: 1370 ℃ (type K)
* 0.01 degree resolution, memory to record Max Min
* Professional thermometer with high accuracy
* I188Super large LCD with unit display



STOCK CODE : 647-610 **PRICE : HK$ 980.00**

濕度計
Humidity Meter

HT-3015HA
溫濕露點儀
Humidity Meter
* LCD size: 61 mm x 35 mm dual function LCD display
* Humidity Range: 10 % to 95 % R.H.
* Temperature Range : 0 °C to 50 °C
* Dew Point Range : -25.3 °C to 48.9 °C



STOCK CODE : 648-813 **PRICE : HK$ 1,167.00**

HD-3008
濕度露點儀 + K型溫度電偶
Humidity & Dew Point Meter + Type K
* Humidity, Dew point, Type K, 3 in 1
* Humidity : 10.0% to 95.0% RH, 0 - 50 ℃
* Dew Point : -25.3 to 48.9 ℃, 0.1 ℃/0.1 ℉
* Type K : -100 to 1300 ℃, 0.1 ℃ / 0.1 ℉
* RS-232, Hold, Record (Max., Min)



STOCK CODE : 646-616 **PRICE : HK$ 1,235.00**

風速計
Anemometer

AM-4202
風速計（連溫度）
Anemometer (w/Temp.)
* 0.4 to 30.0 m/s, ft/min, km/h, knots temperature, Data hold, 18mm LCD
* Low-friction ball-bearing vane
* Size : 160 x 80 x 35 mm
* Sensor : 72mm Dia



STOCK CODE : 645-770 **PRICE : HK$ 1,050.00**

AM-4204
熱線式風速計
Hot Wire Anemometer
* 0.2 to 20.0 m/s, high precision for low air velocity measurement
* m/s, ft/min, km/h. knots, mile/h, ℃/ ℉
* Max., Min., Data hold, RS-232
* Size : 180 x 72 x 32 mm, Telescope probe



STOCK CODE : 646-310 **PRICE : HK$ 1,680.00**

AM-4205
風速計 + 濕度計
Anemometer + Humidity Meter
* Display : 13mm super large LCD
* Air velocity Range: 0.4 - 2.0 m/s
* RH Range: 10% to 95% RH
* Unit support : m/s , km/h, mile/h, knots, ft/min
* Data output : RS232 serial interface
* Themperature measurement : 0 to 50 ℃



STOCK CODE : 645-711 **PRICE : HK$ 1,300.00**

風速計
Anemometer

AM-4206
風速計，空氣流動 + 空氣速率
Anemometer, Air Flow + Air Velocity
* CMM (m^3 /min.), CFM (ft^3 /min.)
* m/s, ft/min, km/h, mile/h, knots, Temp. (℃/ ℉)
* 0.4 to 25.0 m/s., μ-P circuit
* Max., Min., Memory recall button
* Size : 180 x 72 x 32 mm. RS-232



STOCK CODE : 646-302 **PRICE : HK$ 1,380.00**

AM-4216
風速計，袖珍型風向標，空氣流動 + 空氣速率
Anemometer, Mini Vane, Air Flow + Air Velocity
* 13 mm Dia. heavy mini vane, telescope probe
* High Temp. air velocity measurement
* CMM (m^3 / min.), CFM (ft^3 / min.)
* m/s, ft/min, km/h, knots, mile/h, Temp. (℃/ ℉)
* 0.8 to 12.0 m/s., μ-P circuit, RS-232
* Size : 180 x 72 x 32 mm



STOCK CODE : 647-168 **PRICE : HK$ 1,950.00**

LUTRON AM-4203
風速計（連溫度）
Anemometer (w/Temp.)
* Range: 0.4 to 25 m/s, km/h, mile/h, knots, ft/min
* Temperature, Data hold, 18mm LCD
* Temp range: 0 to 50 ℃, ℉
* Low friction ball-bearing vane wheels
* RS232 PC serial interface



STOCK CODE : 644-019 **PRICE : HK$ 1,100.00**

轉速計
Tachometer

DT-2235B
接觸式轉速計
Contact Tachometer
* Contact range: 5 to 100,000 RPM
* Last value, max & min value will be stored into the memory
* Display : 5 digits, 10mm LCD
* Surface speed : 0.05 to 1999.9 m/min
* Time base: Quartz crystal 4.194MHz



STOCK CODE : 647-567 **PRICE : HK$ 915.00**

DT-2236
光相/接觸式轉速計
Photo/Contact Tachometer
* Photo tach. : 5 to 100,000 RPM
* Contact tach. : 0.5 to 19,999 RPM
* Surface speed : m/min, ft/min
* Size : 215 x 65 x 38 mm



STOCK CODE : 644-349 **PRICE : HK$ 1,100.00**

DT-602
光相/接觸式轉速計
Photo/Contact Tachometer
* Hobby Airplane Tachometer
* DMM function integrated
* Measuring range : 0.001²19.99V̄DC , 0-2000 ohm
* Tacho range for two leaves propeller: 100-60,000 rpm
* Tacho range for three leaves propeller: 100-40,000 rpm
* Tacho range for four leaves propeller: 100-30,000 rpm



STOCK CODE : 649-262 **PRICE : HK$ 385.00**

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

轉速計 Tachometer

DT-2238
光相/接觸式轉速計
Photo/Contact Tachometer
* Photo range: 5 to 99,999 RPM
* Contact range: 0.5 to 19,999 RPM
* Display : 5 digits, 10mm LCD
* Surface speed : 0.05 to 1999.9 m/min
* Last value, max & min value will be stored into the memory



STOCK CODE : 647-699 PRICE : HK$ 1,225.00

DT-2244
光相式轉速計
Photo Tachometer
* Range : 5.0 to 100,000 RPM
* Last value, MAX / MIN value
* Accuracy :±(0.05% + 1d)
* Size : 165 x 61 x 38.5 mm



STOCK CODE : 646-394 PRICE : HK$ 1,050.00

DT-2245
接觸式轉速計
Contact Tachometer
* Tach. : 0.5 to 19,999 RPM.
* Surface speed : m/min., ft/min, inch/min.
* Accuracy : (0.05% + 1d)
* Size : 195 x 61 x 38.5 mm



STOCK CODE : 646-395 PRICE : HK$ 1,050.00

DT-2268
光相/接觸式轉速計
Photo/Contact Tachometer
* Photo tachometer : 5 to 99,999 RPM
* Contact tachometer : 0.5 to 19,999 RPM
* Surface speed : m/min. - 0.05 to 1,999.9 m/min



STOCK CODE : 646-615 PRICE : HK$ 815.00

閃頻儀 Stroboscope

DT-2269
數字量閃頻儀, RS-232 + 推動鉤子
Digital Stroboscope, RS-232 + Push Button Adj.
* Range : 20 to 10,500 RPM
* RPM setting by push button
* External trigger signal input for simulataneous test and measurement
* RS-232 computer interface
* Power : AC 110V/220V/240V, 50/60 Hz



STOCK CODE : 646-854 PRICE : HK$ 1,650.00

照度計 Light Meter

LM-81LX
照度計
Light Meter
* Tiny bone shape with light weight and small size case design are suitable for handling with one hand
* Light sensor, meets C.I.E. photopic
* Dimension : HWD 156x60x33 mm (6.14x2.36x1.29 inch)
* Measurement : Range 0 to 20,000 Lux



STOCK CODE : 646-511 PRICE : HK$ 285.00

照度計 Light Meter

LX-101
照度計
Light Meter
* 3 ranges : 0 - 2,000 Lux, 2,000 - 19,990 Lux, 20,000 - 50,000 Lux
* Sensor meet C.I.E. photopic
* 2 filters, high quality
* External offset Adj
* Size : 108 x 73 x 23 mm



STOCK CODE : 644-382 PRICE : HK$ 430.00

LX-102
照度計
Light Meter
* 0 - 50,000 Lux (3 ranges), Ft-candle, Data hold, Analog output
* Spectrum meet C.I.E. photopic spectrum
* 2 filters, high quality
* Size : 163 x 70 x 30 mm



STOCK CODE : 644-896 PRICE : HK$ 570.00

LX-107
照度計
Light Meter
* 3 ranges : 2,000/20,000/100,000 Lux, Data hold
* Lux, Foot-candle, Max., Min., zero
* Tungsten, Fluorescent, Mercury, Sodium, 4 light type select, microprocessor circuit
* Size : 180 x 72 x 32 mm



STOCK CODE : 644-022 PRICE : HK$ 650.00

LM-8000
速度, 測溫, 濕度, 照度 (四合一)儀
Velocity, Temperature, Humidity, Lux (4 in 1) Meter
* Velocity : 0.4 ~ 30.0 m/s
* Air temperature : 0 ℃ ~ 50 ℃
* Air humidity : 10% ~ 95%RH
* Lux : 0 ~ 20000 Lux
* Temperature (external K Type) : -100 ℃ ~ 1300 ℃



STOCK CODE : 646-510 PRICE : HK$ 680.00

UV 照度計 UV Light Meter

UV-340
UV 照度計
UV Light Meter
* Spectrum : 290 nm - 390 nm
* Application : UVA & UVB measurement
* Range : 1999, 19990㎛W/cm²
* Separate probe
* Size : 131 x 70 x 25 mm



STOCK CODE : 646-574 PRICE : HK$ 740.00

UVA-365, UVC-254
UVA 照度計, UVC 照度計
UVA Light Meter, UVC Light Meter
* Ultra-Violet radiometer range (UVA-365) : 320~390nm
* Ultra-Violet radiometer range (UVC-254) : 254nm
* 199.9㎛W/cm³ , 1.999, 19.99 mW/cm²
* 199㎛W, 1.99mW and 19.9 mW/cm²
* Max., Min., Data hold, RS-232
* Size : 180 x 72 x 32 mm. Separate probe

MODEL	STOCK CODE	PRICE (HK$)
UVA-365	644-023	2,650.00
UVC-254	644-024	2,650.00



聲級計 Sound Level Meter

SC-942
聲級校正儀
Sound Calibrator, 94 dB & 114 dB
* Professional, 1 KHz
* Diecasting aluminium alloy housing case
* DC 9V batteries x 2 PCs
* Size : Round 50 mm Dia. x 82 mm



STOCK CODE : 646-794 PRICE : HK$ 1,373.00

SL-4001
聲級計
Sound Level Meter
* Frequency & time weighting meet IEC 651 type 2
* A, C weighting, Max, Data hold, fast/slow time weighting, AC/DC output
* Range : 3 ranges, 35 to 130 dB
* Size : 245 x 80 x 35 mm



STOCK CODE : 644-028 PRICE : HK$ 850.00

SL-4012
聲級計, 經濟型
Sound Level Meter, Economical Type
* Frequency & time weighting meet IEC 651 type 2
* 35 to 130 dB, 3 ranges, Data hold
* A frequency weighting, Fast time weighting
* Size : 268 x 68 x 29 mm



STOCK CODE : 646-514 PRICE : HK$ 1,070.00

SL-4013
聲級計, 經濟型
Sound Level Meter, Economical Type
* 35 to 130 dB, Auto range, RS-232
* 180° rotary sensor shelf
* Separate probe optimum for remote measurement and low noise environment test



STOCK CODE : 646-306 PRICE : HK$ 1,200.00

SL-4022
聲級校正儀
Sound Calibrator, 94 dB & 114 dB
* Professional, 1 KHz
* Diecasting aluminium alloy housing case
* DC 9V batteries x 2 PCs
* Size : round 50 mm Dia. x 82 mm



STOCK CODE : 646-618 PRICE : HK$ 1,760.00

推拉力計及扭力計 Force Guage & Torque Meter

FG-20KG
推拉力計, 20kg
Force Guage, 20kg
* 20kg, kg/LB/Newton
* Tension & Compression, Peak hold, Zero, Positive / Reverse display, 5 digits LCD
* Full line accessories, optional test stand
* Size : 208 x 82 x 37 mm



STOCK CODE : 644-286 PRICE : HK$ 1,800.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

推拉力計及扭力計 Force Guage & Torque Meter

FG-5100
推拉力計，100kg
Force Gauge, 100kg
* Range: 100Kg , Kg/LB/Newton
* Tension or Compression, Peak hold, Zero
* Positive/Reverse 5 digits LCD display
* RS-232 computer interface
* 1.5VDC x 6 or 9VDC adapter in



STOCK CODE : 648-575 **PRICE : HK$ 2,795.00**

FG-5000A
推拉力計
Force Guage
* 5000 g, g/oz/Newton
* Tension & Compression, Peak hold, Zero, Positive / Reverse display, 5 digits LCD
* Full line accessories, optional test stand
* Size : 208 x 82 x 37 mm



STOCK CODE : 641-894 **PRICE : HK$ 1,680.00**

TQ-8800
扭力計，15kg-cm
Torque Meter, 15 Kg-cm
* Professional torque meter with separate probe
* 15 Kg-cm torque sensor included
* 3 units : 15 Kg-cm / 13 LB-inch / 147.1 N-cm
* Peak, Data hold, Zero, Max./Min., Fast/Slow
* Size : 180 x 72 x 32 mm. RS-232



STOCK CODE : 646-303 **PRICE : HK$ 3,800.00**

振動力計，壓力計 Vibration Meter, Manometer & Pressure Meter

VB-8202
振動力計
Vibration Meter
* Separate professional vibration probe
* Velocity : 200 mm/S
* Acceleration : 200 m/S^2
* RMS, Peak Hold, Max./Min., RS-232
* Size : 180 x 72 x 32 mm



STOCK CODE : 646-422 **PRICE : HK$ 2,980.00**

PM-9100HA
壓力計，2000 mBar，差動輸入
Manometer, 2000 mBar, Differential Input
* Dual & differential input, 2000 mbar x 1 mbar
* mbar, psi, Kg/cm^2 , inch/Hg, mm/Hg inch/H$_2$O, Atmosphere
* Data hold, Memory (Max., Min.)
* Application : Industrial, laboratory, schools, heating, ventilation, hospital, medical...



STOCK CODE : 647-169 **PRICE : HK$ 920.00**

PS-9302
壓力計
Pressure Meter
* Meter connects with 2, 5, 10, 20, 50, 100, 200 bar sensor, no calibration procedures are necessary when change a new sensor
* Bar, PSI, Kg/cm^2 , inch/Hg, mm/Hg, inch/H$_2$O, meter/ H$_2$O, Atmosphere
* Data hold, Memory (Max., Min.), RS232
* Size : 180 x 72 x 32 mm



STOCK CODE : 646-844 **PRICE : HK$ 1,150.00**

壓力傳感器 Pressure Sensor

PS100-XXBAR
壓力傳感器
Pressure Sensor
* Pressure sensor connected with PS-9302
* PS100-5BAR : 5 bar sensor
* PS100-10BAR : 10 bar sensor
* PS100-20BAR : 20 bar sensor
* PS100-50BAR : 50 bar sensor
* PS100-100BAR : 100 bar sensor



MODEL	STOCK CODE	PRICE (HK)
PS100-5BAR	646-845	830.00
PS100-10BAR	647-712	830.00
PS100-20BAR	647-780	891.00
PS100-50BAR	648-114	830.00
PS100-100BAR	648-115	830.00

水份測量 Moisture Measurement

MS-7001
數字量式水份測量計
Digital Moisture Meter
* Measure moisture content over range 9% to 30%
* Records Maximum & Minimum reading with recall
* For surveying buildings for dampness and for the rapid determination of the moisture content of wood / timber



STOCK CODE : 646-513 **PRICE : HK$ 820.00**

PH 酸鹼度錶 PH Meter

PH-204
酸鹼度計
PH Meter
* General purpose, professional quality
* 0 to 14 pH, mV x 0.01pH
* Temp. Comp. : Manual, 0 to 100 ℃
* Accuracy :±(0.01pH + 1d) after calibration
* Size : 163 x 70 x 30 mm, 13 mm LCD



STOCK CODE : 641-895 **PRICE : HK$ 680.00**

PH-207
酸鹼度計
PH Meter
* 0 to 14 pH x 0.01 pH
* μ- P circuit, LCD with annunciator
* Max., Min., Memory recall button
* pH, mV, Temp., manual Temp. Adj. or ATC
* Size : 180 x 72 x 32 mm. RS-232



STOCK CODE : 644-274 **PRICE : HK$ 950.00**

PH-208
酸鹼度計
PH Meter
* pH : 0 to 14.00 pH, ±1999 mV
* mV function for ORP electrode
* Manual temperature compensation
* ATC via optional Temp. probe (TP-07)
* RS232, Hold, Record (Max., Min.,), °C/ °F
* Easy pH calibration procedure



STOCK CODE : 646-617 **PRICE : HK$ 670.00**

PE-01
酸鹼度電極
PH Electrode
* Professional, Laboratory, high quality & field usage
* 0 to 14 pH
* Epoxy body with BNC connector
* Size : 9.5mm Dia. x 130 mm



STOCK CODE : 644-357 **PRICE : HK$ 380.00**

PH 酸鹼度錶 PH Meter

PE-03
酸鹼度電極
PH Electrode
* General purpose, cost effective
* 1 to 13 pH (typical 0 to 14 pH)
* Epoxy body, with BNC connector
* Body Size : 12.3 mm Dia. x 160 mm



STOCK CODE : 641-896 **PRICE : HK$ 290.00**

CC-PH
酸鹼值模擬器
PH Simulator for PH Meter
* Field recalibrations of meters or controllers
* Simulate values: pH4.00, 7.00, 10.00
* Accuracy : +/- 0.1%
* Select High Ohm for impedance test



STOCK CODE : 648-619 **PRICE : HK$ 720.00**

PH- Series
酸鹼值溶劑
PH Standard Buffer Solution



MODEL	PH value	STOCK CODE	PRICE (HK$)
PH-07	7.00	648-617	50.00
PH-04	4.00	648-618	50.00

氧氣量錶 Oxygen Meter

DO-5510
溶氣計
Oxygen Meter
* μ- P circuit, LCD with display unit
* Dissolved oxygen range : 0 to 20 mg/L
* Max., Min., Memory recall button
* DO, Oxygen in air, Temp., ATC, Auto cal
* Diaphragms & electrolyte included
* Size : 185 x 78 x 38 mm



STOCK CODE : 644-026 **PRICE : HK$ 1,980.00**

導電錶 Conductivity Meter

CD-4303
導電錶
Conductivity Meter
* μ- P circuit, LCD with display unit
* Max., Min., Memory recall button
* 200μS/2mS/20mS, ATC, Cell adj
* Size : 185 x 78 x 38 mm



STOCK CODE : 644-030 **PRICE : HK$ 1,100.00**

水測試儀 Water Tester

WA-300
純潔水測試儀
Pure Water Tester
* Water conditioning, home, aquariums, food processing, photography, school, laboratory, industry & quality control
* Check the condition of water filter
* Measurement : 0 to 1999μs



STOCK CODE : 647-170 **PRICE : HK$ 690.00**

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

校正儀，電磁波干擾測試，電容錶
Calibrator, EMF Tester & Capacitance Meter — Lutron

CC-421
電壓/電流校正儀
Voltage/Current Calibrator
* Current source : 0 to 24 mA, 2 ranges
* Current measurement : 0 to 24 mA, 2 ranges
* Power (12V) and current measurement of two wire loop : 0 to 24 mA, 2 ranges
* DC mV source : -199.9mV to +199.9mV
* Size : 185 x 78 x 38 mm



STOCK CODE : 646-425 — PRICE : HK$ 1,000.00

EMF-827
電磁波測試及試棒
EMF Tester, Separate Probe
* Electromagnetic field tester
* Range : 20/200/2,000 micro Tesla 200/2000/20,000 milli-Gauss
* Size : 163 x 70 x 30 mm



STOCK CODE : 645-772 — PRICE : HK$ 1,100.00

電容錶
Capacitance Meter — Lutron

DM-9023
電容錶
Capacitance Meter
* 9 ranges, 200pF, 2nF, 20nF, 200nF, 2μF, 20μF, 200μF, 2000μF, 20000μF
* Rotary sw., 18 mm LCD, Max. 1999
* Size : 185 x 87 x 39 mm



STOCK CODE : 641-905 — PRICE : HK$ 450.00

LCR 電橋錶
LCR Meter — Lutron

LCR-9063
口袋型 LCR 電橋錶
Pocket LCR Meter
* Pocket size, 13 mm LCD, Max. 1999
* L- 5 ranges, 2 mH to 20 H
* C- 6 ranges, 2 nF to 200μF
* R- 6 ranges, 200Ω to 20 MΩ
* Economical type
* Size : 120 x 72 x 37 mm



STOCK CODE : 646-530 — PRICE : HK$ 335.00

LCR-9073
專業 LCR 電橋錶
LCR Meter, Professional
* Intelligent microprocessor circuit, professional
* L : 5 ranges, 2 mH to 20H
* C : 7 ranges, 2 nF to 1000μF
* R : 6 ranges, 200Ω to 20 MΩ
* % Alarm setting for components check
* Memory record, RS-232
* Size : 204 x 90 x 36 mm



STOCK CODE : 646-356 — PRICE : HK$ 750.00

LCR-9083
LCR 電橋錶
LCR Meter
* Inductance, Capacitance, Resistance, Diodes
* L : 5 ranges, 2mH to 20H
* C : 6 ranges, 2 nF to 200μF
* R : 6 ranges, 200Ω to 20 MΩ
* Size : 185 x 87 x 39 mm, 18mm LCD



STOCK CODE : 646-793 — PRICE : HK$ 365.00

毫歐姆錶及功率錶
Milliohm Meter & Watt Meter — Lutron

MO-2001
毫歐姆錶
Milliohm Meter
* 200 m/2000 m/20/200/2000Ω
* 4 terminal input, high accuracy
* Power : AC 110 or 220/240V, 50/60 Hz
* Size : 160 x 120 x 85 mm
* 4 wire with 2 kelvin clips included



STOCK CODE : 646-634 — PRICE : HK$ 1,450.00

DW-6060
功率錶
Watt Meter
* WATT (AC, true power) : 2000 W, 6000 W
* DCV, ACV, DCA, ACA
* DC 9 V battery power, 13 mm LCD
* Size : 180 x 86 x 35 mm



STOCK CODE : 641-893 — PRICE : HK$ 940.00

DW-6090
真實 AC 電源測量
True AC Power Measurement
* Multi-functions: Watt, VA, Whr, Power factor, ACV, ACA, DCV, DCA, HZ, OHM
* True RMS display for ACV, ACA
* Direct Input Range: 600VAC, 10A
* Super large LCD, 93 x 52 mm
* Current mode from direct input, inductive clamp probe or current transformer (CT)
* Polarity - automatic switching
* Data Output: RS232 serial interface



STOCK CODE : 647-399 — PRICE : HK$ 1,922.00

絕緣計，RCCB 漏電測試計
Insulation Tester, RCCB Checker — Lutron

DI-6300
絕緣測試計
Insulation Tester
* 200 MΩ(100V), 200 MΩ(250V), 200 MΩ(500V), 1000 MΩ(1000V), ACV, 200Ω, continuity beeper
* High driving current with 2.8 mA of short circuit
* Size : 160 x 120 x 85 mm



STOCK CODE : 647-171 — PRICE : HK$ 1,250.00

RCB-110V, RCB-220V
RCCB 漏電測試計
RCCB Checker
* Checking the power socket pin assignment
* Residual current breaker test
* Rated tripping current setting 10 mA, 30 mA, 100 mA, 300 mA and 500 mA



MODEL	STOCK CODE	PRICE (HK$)
RCB-110V (100~120ACV)	647-172	665.00
RCB-220V (200~240ACV)	647-173	665.00

電源質量分析儀
Power Analyzer — Lutron

DW-6091
電源質量分析儀
Power Analyzer
* Measure ACA : 0.4 to 10A AC
* Measure ACV : 110 to 220V AC
* Measurement : True AC power (watt) & apparent power(VA)
* Measurement: Whr, Power factor, 40 to 400Hz
* RS-232 output interface
* Power Supply : DC12V or AA type Battery 1.5Vx8 pcs



STOCK CODE : 648-616 — PRICE : HK$ 1,200.00

電源供應
Power Supply — MANSON

EP-613
三組直流輸出電源供應
Triple Output DC Power Supply
* Input Voltage : 230VAC / 50Hz
* Meter Type : LCD 3 Digit Display
* Output 1 : 0-30VDC / 2.5A adjustable
* Output 2: 5VDC / 0.5A fixed
* Output 3: 12VDC / 0.5A fixed



STOCK CODE : 641-289 — PRICE : HK$ 850.00

數字量式示波器
Digital Oscilloscope — METEX

DSO-20
20兆赫輕巧示波器連圖像顯示萬用錶
20MHz Handy Scope With Graphical DMM
* Digital Storage Scope : 20MHz 2 Channels
* True RMS DMM: auto ranging 3 3/4 digit
* Frequency counter : 5~10MHz , 2 channels
* Logic Analyzer: 20MS/s , 8 channels
* Measuring : up to 600V 400mA DC/AC, 400~40MΩ & Diode



STOCK CODE : 647-653 — PRICE : HK$ 5,525.00

MS-2000
2兆赫輕巧示波器連圖像顯示萬用錶
2MHz Handy Scope With Graphical DMM
* Digital Storage Scope : 2MHz 1 Channels
* True RMS DMM: auto ranging 3 3/4 digit
* Frequency counter : 5~10MHz , 1 channels
* Measuring : up to 600V 400mA DC/AC, 400~40MΩ
* Measuring : Capacitance 4~400nF & Continuity



STOCK CODE : 647-657 — PRICE : HK$ 3,050.00



We welcome any inquiry for products not appear in this catalog

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.