測溫計 Integrated Thermometers

Raytek

RAYTEK TXCG-5

測溫計
Thermalert Thermometer



* 18 to 2000 ℃
* Smart sensor features easy 2-wire installation. Ideal for process control systems
* Install up to 15 sensors on a single multidrop network

STOCK CODE : 645-625 **PRICE : HK$ 7,761.00**

MT, ST, MX系列 MT, ST, MX Series

Raytek

MT4

測溫計（MT系列）
Noncontact Thermometer (MT Series)



* Raytek Mini Temp is pocket-sized and easy to use-just point, shoot and read the temperature on the large backlit display
* Measure surface temperature
* MT4 laser point

Specifications :

* Temperature range : -18 to 260 ℃ (0 to 500 ℉)
* Accuracy : For targets at -1 to 260 ℃ (30 to 500 ℉) ±2% of reading or±2 ℃ (±3.5 ℉), whichever is - greater
* Optical resolution : 8 to 1 at the focal point

STOCK CODE : 644-434 **PRICE : HK$ 773.00**

MX2 , MX4 , MX4+

MX系列測溫計
Raynger MX Series



* Windows-based Data Graphing Software (MX4+)
* RS232 computer cable (MX4+)
* Thermocouple K probe (MX4+)
* Plug-in Power Supply (MX4+)
* Portable thermal printer (MX4+ option)
* Temp. range : -30 to 900 ℃ (-25 to 1600 ℉)
* Accuracy :±1% of reading or ±1 ℃ (±2 ℉), whichever is greater
* Response time : (95%) 250mSec

	MX2	MX4	MX4+
Adjustable emissivity	✓	✓	✓
3 dot laser sighting	✓	✓	✓
Class 2 & FDA Class II requirements			
Bar graph display	✓	✓	✓

MODEL	STOCK CODE	PRICE (HK$)
MX2	644-438	6,201.00
MX4	644-439	7,761.00
MX4+	644-440	10,101.00

3i系列 3i Series

Raytek

Raynger 3i

3i系列測溫計
Raynger 3i (General) LTDL3



* Temp. range : -30 to 1200 ℃ (-20 to 2200 ℉)
* 3i also compensates for energy reflected by the background around your target so it doesn't affect your reading and the backlit display makes it easy to read the display under poor lighting conditions
* 3i can also store up to 100 data points in an on-board datalogger, eliminating the need for clipboards, recording devices, or other peripheral hardware

STOCK CODE : 644-441 **PRICE : HK$ 15,561.00**





數字式萬用表 Digital Multimeter

sanwa

PC5000

AC/DC 真均方根值數位(RMS)電錶
50000 Count & 500000 Selectable AC/AC + DC True RMS



* 0.03% Basic Accuracy
* PC link by RS-232 interface
* Bargraph 52 segments

STOCK CODE : 644-984 **PRICE : HK$ 1,750.00**

PC520M

43000點數據記錄儀
43,000 Points Data Logging In Built-in Memory



* AC True RMS
* 3 - 4/5 digits 5000 count
* Call and Scrolling logged data in the LCD
* Download logged data to PC

STOCK CODE : 644-986 **PRICE : HK$ 2,170.00**

PC510

高準確均方根值數位(RMS)功能
High Accuracy True RMS Multi Function



* AC True RMS
* 3 - 4/5 digits 5000 count
* 0.08% Basic Accuracy
* PC connected by RS-232 interface

STOCK CODE : 644-987 **PRICE : HK$ 1,055.00**

PC500

高準確多功能
High Accuracy Multi Function



* 3 - 4/5 digits 5000 count
* 0.08% Basic Accuracy
* 0.01mV AC/DC resolution
* PC connected by RS-232 interface

STOCK CODE : 644-985 **PRICE : HK$ 800.00**

PC20

AC 接合器
AC Adapter



* 3 - 3/4 digits 4000 count
* Measuring data can be transferred to PC through RS232 cable with PC Link
* AC adapter is available for long time measurement (Option)

STOCK CODE : 646-153 **PRICE : HK$ 645.00**

RD701

NEW
高輸入阻抗1000MΩ真RMS
High Input Impedance 1000MΩTrue RMS



* 3 - 3/4 digits 4000 count
* AC True RMS
* ADP Function
* Alarm for mis-plug for current function

STOCK CODE : 646-155 **PRICE : HK$ 725.00**



Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

數字式萬用表
Digital Multimeter
sanwa

RD700
高輸入阻抗1000MΩ
High Input Impedance 1000MΩ
* 3 - 3/4 digits 4000 count
* ADP Function
* Alarm for mis-plug for current function



STOCK CODE : 646-154 PRICE : HK$ 593.00

CD751
真實 RMS 及廣闊的電流
True RMS & Wide Current
* 3 - 3/4 digits 3200 count
* AC + DC True RMS
* Wide current measurement function (0.01μA to 20A)
* Automatic/manual measurement with the current range (excluding 32μA and 20A)



STOCK CODE : 644-381 PRICE : HK$ 840.00

CD731
廣闊的電流
Wide Current (0.01μA to 20 A)
* 3 - 3/4 digits 3200 count
* Automatic/manual measurement with the current range (excluding 32μA and 20A)
* Safety cover for the terminal for large current (20 A) to avoid miss-insertion



STOCK CODE : 644-379 PRICE : HK$ 535.00

CD721
薄身型的萬用錶
Slim Standard DMM
* 3 - 3/4 digits 3200 count
* Automatic/manual measurement with the current range (excluding 12A range)
* W 52 x H 26.5mm Large LCD



STOCK CODE : 644-380 PRICE : HK$ 470.00

CD800a
帶機殼型
Attachment Body Cover
* 3 - 3/4 digits 4000 count
* Measure DCV, ACV to 600V
* Measure DCA, ACA to 400mA
* Measure Resistance , Capacitance, Frequency, Duty Cycle and Continuity Diode Test



STOCK CODE : 646-497 PRICE : HK$ 223.00

PM10
彈盒型萬用錶
Magazine Type Compact DMM
* 3 - 3/4 digits 3200 count
* Measure DCV, ACV to 500V
* Resistance measurement, Continuity diode test function



STOCK CODE : 641-350 PRICE : HK$ 294.00

數字式萬用表
Digital Multimeter
sanwa

PM3
不同功能，口袋型萬用錶
With Various Functions, New Pocket Size DMM
* 3 - 3/4 digits 4000 count
* 8.5mm thickness
* Measure DCV, ACV to 500V
* Resistance, Capacitance, Frequency & Duty Cycle Measurement
* Continuity & Diode Test
* Size : H108 x W56 x D11.5mm



STOCK CODE : 645-685 PRICE : HK$ 251.00

PM-7
口袋型萬用錶
Pocket Size DMM
* 3- 1/2 digits 1999 count
* In-circuit continuity buzzer with a measuring terminal voltage of 0.43V
* Measure DCV, ACV to 500V
* Resistance Measurement, Continuity & Diode Test
* Size : H115 x W57 x D18mm



STOCK CODE : 641-352 PRICE : HK$ 294.00

PS-8A
口袋型太陽能電池萬用錶
Pocket Size Solar Battery DMM
* 3-3 / 4 digits 4000 count
* Measure DCV, ACV to 500V
* Low power saving design: Auto power off (15 min)
* Measure Ohm (up to 40Mohm) , diode & continuity test
* Size: H115XW57XD18mm. 85gm



STOCK CODE : 647-681 PRICE : HK$ 275.00

CDA-701
自動換檔及測量系統
AC/DC Automatic Switching & Measurement Range
* Circuit Cont. leading beeper (Terminals 0.4V)
* Low power Ohm
* Diod test
* AC/DC 200mA/2A/12A measurement range
* H163 x W78 x D30mm , 250g



STOCK CODE : 641-347 PRICE : HK$ 499.00

DA-50C
微薄型4000數字輸入及棒狀圖形顯示
Slim With 4000 Count & Bar Graphic Display
* Frequency check
* Max. Min. hold
* Data hold
* Relative function
* Auto power off
* Circuit Cont. leading beeper (0.4V)



STOCK CODE : 641-585 PRICE : HK$ 798.00

XD-760CA
高精確20000數字輸入
High-Precision 20000 Count
* Data hold
* Zero Ohm measure
* Circuit Cont. leading beeper
* Gild probe
* H164 x W85 x D38mm , 380g



STOCK CODE : 641-340 PRICE : HK$ 2,478.00

數字式萬用表
Digital Multimeter
sanwa

CDS-820
太陽能電源
Solar-Powered
* DC/AC 12A ranges
* Check function enables monitoring of secondary battery capacity and charge level
* In-circuit continuity checking with a beeper and low-power ohms range(0.43V)
* Automatic power-off function shuts power off 15 minutes after
* Data hold simplifies recording of measured values
* Range hold enables switching from auto ranging to manual range selection



STOCK CODE : 641-346 PRICE : HK$ 541.00

DA32
數字式萬用錶
Digital Multitester
* Slim with 3200 count & bar graphic display
* 320μA to 10A current measurement range
* Data hold & Range hold function
* Auto power off
* Circuit cont. leading buzzer
* H145 x W82 x D30mm , 200g



STOCK CODE : 644-363 PRICE : HK$ 575.00

類比萬用表
Analog Multitester
sanwa

AU-31
自動換檔兩極模擬萬用錶
Auto Range & Polarity Analog Multimeter
* High internal resistance
* Automatic polarity function
* Auto 0Ω adjustment
* Inner battery check range



STOCK CODE : 641-354 PRICE : HK$ 672.00

CX-506A
高內阻輸入萬用表
High Input Impedance Multimeter
* Input Impedance: DC 50KΩ/V
* DC/AC range : 1000VDC (30μ to 0.3A), 750VAC
* Capacitance range: 50pf to 2000μf
* Resistance range : Up to 50MΩ, hfe range: 0 ~ 1000
* Polarity reversal switch



STOCK CODE : 647-159 PRICE : HK$ 492.00

YX-361TR
零位中心儀
Zero Center Meter
* Battery check range
* Cont. check with LEDs
* OUTPUT terminals (series capacitor terminals)
* ±DCV Zero-center meter



STOCK CODE : 641-284 PRICE : HK$ 310.00

SP21
高阻蜂鳴器
Continuity Buzzer
* Drop shockproof meter
* ±DCV Zero-center meter
* Battery check range
* Tilt stand



STOCK CODE : 641-610 PRICE : HK$ 383.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

類比萬用表
Analog Multitester

YX-360TRF
最好的行銷貨品
Best Seller
* Drop shockproof meter
* Null (zero center) meter±5 /±25 in DCV
* High resistance up to 200MΩ with low voltage
* Measure DCV, ACV, DCA, Resistance, Capacitance
* dB, DC High voltage, hFE Test



STOCK CODE : 645-530 PRICE : HK$ 231.00

CP-7D
額外小型測試器
Extra Small Tester
* 1.5V battery check range
* The test leads are molded as a one-two-way plug for quick and safe insertion
* High-precision, non-flammable, smoke-less metal-oxide film resistor
* Size/Weight : H119 x W85 x D23mm / Approx. 140g



STOCK CODE : 641-361 PRICE : HK$ 246.00

SP20
防震萬用錶
Shockproof Meter
* Drop shockproof meter
* Condenser check range of 500μF
* Temperature measurement with optional probe
* Tilt stand
* Bandwidth : 40 ~100KHz (AC10V)



STOCK CODE : 644-990 PRICE : HK$ 299.00

TM500
一體式電器修理解決方案
All-in-one Solution For Consumer Appliance Repairing
* LED bright check
* H159.5 x W129 x D41.5mm , 380g
* Tester & 500V insulation resistance tester
* Check 100pF~2000μF static power capacity
* Serial port signal etc and pulse check function
* Remote contronller, PCs, infrared ray DA check function
* Check DC more 30kV, AC high voltage & use AC/DC clamp sensor test high current



STOCK CODE : 641-611 PRICE : HK$ 1,958.00

AU-32
模擬萬用錶
Analog Multitester
* Adoption of genuine full-automatic ranging eliminates the need to switch in measuring voltage and resistance, and enables optimum range to automatically be set
* For both DC and DC currents, high input impedance of 10 Mohms at voltage measurement eliminates measuring loss
* For DC/AC superposed circuit, AC component only can be measured with DC component eliminated , when measuring AC current



STOCK CODE : 641-353 PRICE : HK$ 719.00

SH-88TR
DCV 零位中心儀
DCV Zero-center Meter
* DCV range : 0 ~ +1200V (0.3A) , 0~±600V
* ACV range: up to 1200V
* Resistance/Capacitance : 1~30MΩ/ 1μ~1F
* dB range: -10 ~ +63dB
* Continuity checker with LEDs
* Optional hFE checking (select hFE-6 probe)



STOCK CODE : 641-358 PRICE : HK$ 336.00

類比萬用表
Analog Multitester

SP-18D
手巧的堅硬設計
Handy & Tough Design
* Drop shock-proof meter
* Capacitance measurement from 10 to 1,000μF
* High resistance up to 200MΩwith low voltage
* Protective full-face cover
* 3V input voltage for resistance measurement so can check LED



STOCK CODE : 641-359 PRICE : HK$ 289.00

鉤型電流錶
Clamp Meter

DCM-2000AD
AC/DC 電流2000A大鉤型尺寸
AC/DC Current 2000A Big Clamp Size
* AC/DC current measurement up to 2000 A
* Frequency measurement
* DMM function
* Clamp Diameter : 53mm



STOCK CODE : 641-589 PRICE : HK$ 1,549.00

DLC-400A
洩漏電流
Leakage Current
* 0.01 mA (leakage current resolution) to 400A
* Data Hold
* Data transfer to a recorder (output: DC200mV Max.)
* Clamp Diameter : 38mm
* Withstand Voltage : 2000Vrms



STOCK CODE : 641-590 PRICE : HK$ 3,155.00

DCM400AD
袖珍型 AC/DC 電流400A
Mini AC/DC Current 400A
* Auto range & DMM function
* One push calibration for DCA
* Relative measurement
* Data hold, Range hold
* Clamp Diameter : 25mm



STOCK CODE : 644-284 PRICE : HK$ 765.00

DCM400
袖珍型 AC 電流400A
Mini AC Current 400A
* Auto range
* Frequency measurement by clamp or test leads
* Data hold, Range hold
* DMM function
* Clamp Diameter : 25mm



STOCK CODE : 644-283 PRICE : HK$ 440.00

DCM60 , DCM60L
袖珍型, 廉價的 AC 電流600A
Mini & Low-Cost AC Current 600A
* Data hold
* Auto range (DCM60L)
* Cont. Buzzer (DCM60L)
* DMM function (DCM60L)
* Diode Test (DCM60L)
* Clamp Diameter : 21mm



MODEL	STOCK CODE	PRICE (HK$)
DCM60	644-223	240.00
DCM60L	644-224	295.00

鉤型電流錶
Clamp Meter

DCM600
交流600A電流式
AC Current 600A
* AC current measurement up to 600A
* Data hold
* DMM function
* Clamp Diameter : 38mm



STOCK CODE : 641-594 PRICE : HK$ 577.00

CAM600S
模擬量 AC 電流600A
Analog AC Current 600A
* Data Hold
* Long Analog pointer for easy reading
* Optional accessory (Temperature Probe) : T-THP
* Clamp Diameter : 36mm



STOCK CODE : 641-596 PRICE : HK$ 562.00

DCM22AD
輕巧的 DC/AC 型號
Compact DC/AC Model
* DC/AC 2 range (20/200A)
* Data hold, multitester function
* Clamp max conductor diameter 23mm
* Frequency feature: 50/60Hz
* H179 x W56 x D26.5mm , 140g



STOCK CODE : 641-315 PRICE : HK$ 2,100.00

DCL20R
300安培小型鉗錶
AC mini clamp up to 300A
* Slim jaws with width of 9mm only
* True RMS value
* ACA Measuring range: 60/300A
* Bandwidth : 45 ~ 400 Hz
* Size: H145xW54xD28mm , 120gm



STOCK CODE : 648-493 PRICE : HK$ 355.00

DCL1000
輕盈交流電鉗錶
AC lightweight clamp meter
* Measuring : Up to 1000A
* Lightweight : 290g only
* Large LCD display : 4000 counts
* Provides sufficient DMM capabilities
* Measure : ACA, DCV, ACV, Resistance



STOCK CODE : 649-120 PRICE : HK$ 465.00

DCL30DR
交流十直流小型鉗錶
AC+DC mini clamp
* True RMS value
* DC/AC Current Measurement : Up to 400A
* LCD display : 6000 counts with Backlight
* Slim core for narrow space with Peak Hold
* Sampling rate : 2 times/sec



STOCK CODE : 641-614 PRICE : HK$ 1,181.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

鉤型電流錶
Clamp Meter

DCL1200R
真確值交流電鉗錶
AC True RMS clamp meter
* Measuring : Up to 1200A
* Large LCD display : 6000 counts
* Automatic V/Ohm Detection : Due to low input impedance
* Measure : ACA, DCV, ACV, Capacitance, Frequency
* Powerful EF funtion: Non-contact Voltage Detection



STOCK CODE : 641-620 PRICE : HK$ 1,470.00

絕緣電阻計
Insulation Resistance Tester

DG-501M
LCD 背影光
With LCD Backlight
* Rating voltage 500V
* 2/20/200/2000 MΩ
* Check AC600V
* Power mini switch
* Low voltage indication



STOCK CODE : 641-357 PRICE : HK$ 1,853.00

絕緣電阻計
Insulation Resistance Tester

PDM-507PK
相位及電力驗測
500V/100MΩRating Model, With Phase & Electricity Detection
* Dustproof, waterproof whole pan board desiged
* Use lock up power switch
* Battery check
* Check AC600V
* H175 x W118 x D55mm , 500g



STOCK CODE : 641-616 PRICE : HK$ 1,302.00

絕緣電阻計
Insulation Resistance Tester

DG525
數字量 2-檔式
Digital Two-Range
* Test voltage : DC500V / DC250V
* ACV measurement (AC600V)
* Data hold



STOCK CODE : 641-729 PRICE : HK$ 2,315.00

DM-1527
3額定定率電壓
3 Rating Voltages
* 1000/500/250V switching
* High voltage happen sure display
* Use lock up power switch
* Dustproof, waterproof, whole pan board design
* Check AC600V
* Battery checking



STOCK CODE : 641-607 PRICE : HK$ 1,428.00

MG125
絕緣電阻計
Inulation Resistance Tester
* Test Voltage range : 25V , 50V or 125V
* Measurement range: up to 400Mohm
* Hot-line state (30 V minimum) can be detected in any(MΩ) range
* Automatic data hold
* Bargraph just like analog meter



STOCK CODE : 650-210 PRICE : HK$ 1,080.00

DG251
數字量 2-檔式
Digital Two-Range
* Test voltage DC250V/ DC125V
* ACV measurement (AC600V)
* Data hold



STOCK CODE : 641-730 PRICE : HK$ 2,315.00

DM-5257
3電壓及電阻
3 Voltage and Resistance
* Unit : Measurement of insulation resistance in MΩ
* Switching Range: 500V/1000M , 250V/500M ,100V/200MΩ
* AC Voltage measurement range: 0 ~ 600V
* Safety: High Voltage Indicator by LED pilot lamp
* Size: 175 x 118 x 55mm



STOCK CODE : 641-608 PRICE : HK$ 1,370.00

MG500
絕緣電阻計
Inulation Resistance Tester
* Test Voltage range: 125V , 250V or 500V
* Measurement range: up to 4,000Mohm
* Hot-line state (30 V minimum) can be detected in any(MΩ) range
* Automatic data hold
* Bargraph just like analog meter



STOCK CODE : 650-211 PRICE : HK$ 1,080.00

DM1528S , DM5218S
3測試電壓
3 Test Voltage
* One-shot or continuous measurement push switch
* ACV measurement range (AC600V)
* DVC measurement range (DC60V)
* Auto discharge function & Inner battery check range
* For DM1528S, Test voltage : 250V, 500V, 1000V
* For DM5218S, Test voltage : 125V, 250V, 500VACV



MODEL	STOCK CODE	PRICE (HK$)
DM1528S	644-385	952.00
DM5218S	644-387	952.00

PDM128
符合新JIS電壓測試標準
Comply With New JIS Voltage Testing Standard
* Rating 125V/20MΩ
* Accord with new JIS voltage testing standard
* Auto discharge and Battery check
* H175 x W118 x D55 , 500g



STOCK CODE : 641-620 PRICE : HK$ 1,470.00

MG1000
絕緣電阻計
Inulation Resistance Tester
* Test Voltage range: 250V , 500V or 1000V
* Measurement range: up to 4,000Mohm
* Hot-line state (30 V minimum) can be detected in any(MΩ) range
* Automatic data hold
* Bargraph just like analog meter



STOCK CODE : 650-212 PRICE : HK$ 1,100.00

DM1008S , DM508S
單組測試電壓
Single Test Voltage
* One-shot or continuous measurement push switch
* ACV measurement range (AC600V)
* DCV measurement range (DC60V)
* Auto discharge function & Inner battery check range
* For DM1008S, Test voltage : 1000V
* For DM508s, Test voltage : 500V



MODEL	STOCK CODE	PRICE (HK$)
DM1008S	644-384	900.00
DM508S	644-386	762.00

PDM-507
連比率式照明
With Scale Lighting
* Rating 500V/100MΩ
* Dustproof, waterproof whole pan board design
* Use lock up power switch
* Battery check
* Check AC600V
* H175 x W118 x D55 , 500g



STOCK CODE : 641-614 PRICE : HK$ 1,181.00

雷射光功率錶
Laser Power Meter

OPM35S
光功率測量
Space Light Measurement
* Si photodiode optical sensor
* Optical power measurement up to 50.00mW
* Max hold, data averaging (20-data sequential averaging)
* Direct reading wavelength (488, 633, 670, 780, 830nm)



STOCK CODE : 646-556 PRICE : HK$ 6,200.00

PDM508S
單組測試電壓
Single Test Voltage
* One-shot or continuous measurement push switch
* ACV measurement range (AC600V)
* DCV measurement range (DC60V)
* Auto discharge function
* Inner battery check range



STOCK CODE : 644-388 PRICE : HK$ 746.00

PDM-506S
輕量緊密的
Light-Weight & Compact
* Rating 500V/100MΩ
* Range has power lock
* High voltage happen sure display
* Battery check.
* Check AC600V
* H150 x W100 x D45 , 350g



STOCK CODE : 641-619 PRICE : HK$ 808.00

OPM36M
DVD-RAM, CD And MD光功率測量
DVD-RAM, CD And MD Light Measurement
* Si photodiode optical sensor
* CD player, MD player, and DVD-RAM drive measurement of PC
* Optical power measurement up to 50.00mW
* W (REL) Relative value measurements
* Max hold, data averaging (20-data sequential averaging)
* Direct reading wavelength & RS-232C interface



STOCK CODE : 646-267 PRICE : HK$ 8,735.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

雷射光功率錶
Laser Power Meter

LPM-5673
雷射錶
Laser Meter
* Laser meter is used for laser supply of laser player
* Sensor can be banded or twisted for measuring in narrow spaces
* Applied as laser distance meter and linear meter for helium-neon laser
* Function testing of LED and ultra-red remote control diode of video recorder



STOCK CODE : 641-641 *PRICE : HK$ 1,412.00*

OPM37LAN
光纖維測量
Fiber Light Measurement
* dBm and W value measurement
* Offsetting, data averaging (20-data sequential averaging)
* Direct reading wavelength (650, 780, 800, 850, 880nm)
* FC-type optical connector adapter



STOCK CODE : 647-201 *PRICE : HK$ 8,250.00*

OPM-570L
波段650~680nm/760~830nm
Wavelength 650 ~ 680nm / 760 ~ 830nm
* Direct reading wavelength
* Dedicated for use with semiconductor lasers
* No power source/battery required
* 4mm thick sensor head
* 4 measuring ranges



STOCK CODE : 641-642 *PRICE : HK$ 1,967.00*

OPM-572
波段458~515nm/610~640nm/ 650~690nm/760~830nm
Wavelength 485 ~ 515nm / 610 ~ 640nm / 650 ~ 690nm / 760 ~ 830nm
* Direct reading wavelength
* IR-beam visual check sensor
* No power source/battery required
* Output terminal for optical monitoring
* 4 measuring ranges



STOCK CODE : 641-643 *PRICE : HK$ 2,977.00*

OPM-572MD
波段610~640nm/650~690nm/ 760~830nm & 760~830
Wavelength 610 ~ 640nm / 650 ~ 690nm / 760 ~ 830nm & 760 ~ 830nm For MD
* Direct reading wavelength
* Sensor for MD (Mini Disk) equipped
* IR-beam visual check sensor
* Output terminal for optical wave monitoring



STOCK CODE : 644-364 *PRICE : HK$ 3,850.00*

溫度計
Thermo Meter

STH-500
筆型溫度計
Pen Type Thermometer
* Fits-in-the-palm design
* Attached sensor probe (STH500)
* -50 ~ 450 ℃ wide range
* Backlight
* Data Hold



STOCK CODE : 641-629 *PRICE : HK$ 1,228.00*

溫度計
Thermo Meter

STH-500C
鉑細薄膜溫度計
(傳感器探針另購)
Platinic Thin Film Thermoresistor (Optional Sensor Probe Required)
* Fits-in-the-palm design
* Attached sensor probe (STH500)
* 50 ~ 450 ℃ wide range
* Backlight
* Data Hold



STOCK CODE : 641-630 *PRICE : HK$ 1,690.00*

STH-1200
K類型溫度計
(傳感器探針另購)
K Type Thermometer (Optional Sensor Probe Required)
* Fits-in-the-palm design
* -50 ~ 1200 ℃ wide range
* Backlight
* Data Hold



MODEL	STOCK CODE	PRICE (HK$)
STH-1200 K1000	641-343	1,969.00
STH-1200 K600	641-631	1,575.00

轉速錶
Tacho Meter

SE-200
接觸型數字量式轉速錶
Contact Type Digital Tachometer
* Fits-in-the-palm design
* rpm & rps measurement
* One push button operation
* Auto Data Hold



STOCK CODE : 641-628 *PRICE : HK$ 1,496.00*

SE-100
非接觸型數字量式轉速錶
Non-Contact Digital Tachometer
* rpm & rps measurement
* One push button operation
* Auto data hold
* LED for checking right operation



STOCK CODE : 641-627 *PRICE : HK$ 1,302.00*

口袋型
Mobiken

LP1
口袋型雷射功率錶
Pocket Laser Power Meter
* Max Hold, MIN Hold
* Optical power max 40mW can be measured
* Sensor prove can be fixed easily



STOCK CODE : 647-204 *PRICE : HK$ 1,236.00*

LX2
口袋式照亮型儀錶
Pocket Illuminance Meter
* Data hold
* Compact sensor probe for narrow space
* Sensor prove can be fixed easily
* Measuring Range : 400.0 klx



STOCK CODE : 646-811 *PRICE : HK$ 1,310.00*

口袋型
Mobiken

TH3
口袋型熱電錶
Pocket Thermo Meter
* Max Hold, MIN Hold
* Data hold
* A skid was attached in sensor holder for safety measurement
* High resolution and accuracy
* Sensor prove can be fixed easily



STOCK CODE : 647-203 *PRICE : HK$ 1,680.00*

光度計
Lux Meter

LX3132
光度計
Lux Meter
* Wide range up to 10000 Lux
* Si photodiode
* Drop shock proof meter



STOCK CODE : 647-202 *PRICE : HK$ 690.00*

電纜測試計
Cord Tester

CS-10VB
多芯型絕緣電纜測試計
Multiple Cord Tester
* Continuity, faint open circuit, insulation between terminals of multiple cords
* Test voltage DC250/500 for insulation
* Faulty data hold
* LED and buzzer for judgment



STOCK CODE : 641-636 *PRICE : HK$ 10,064.00*

CAD-3L
三芯電纜測試計
3-Line Type Cord Tester
* Continuity and insulation between each couple of 2 lines (1-2, 2-3, and 1-3)
* Resistance value setting dial equipped
* Test voltage DC100/250/500V for insulation
* Automatic and manual mode
* LED and buzzer for judgment



STOCK CODE : 641-635 *PRICE : HK$ 7,387.00*

電流鉤錶
Clamp Probe

CL-22AD
電流鉤錶
Clamp Probe
* DCA : 20/200A
* ACA : 20/200A
* All SANWA DMM except CDA-701, PS-8, PM-7, PM10, PM5 and SD-420C
* Withstand AC2000V
* Clamp diameter 23mm



STOCK CODE : 641-603 *PRICE : HK$ 1,129.00*

CL-20D
電流鉤錶
Clamp Probe
* ACA : 20/200A
* All SANWA DMM except CDA-701, PS-8, PM-7, PM10, PM5 and SD-420C
* Withstand AC2000V
* Clamp diameter 33mm



STOCK CODE : 641-605 *PRICE : HK$ 441.00*

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

電流鉤錶 Clamp Probe — sanwa

CL33DC
電流鉤錶
Clamp Probe
* DCA : 30/300A
* All SANWA DMM except CDA-701, PS-8, PM-7, PM10, PM5 and SD-420C
* Withstand AC2000V
* Clamp diameter 23mm



STOCK CODE : 644-991 PRICE : HK$ 950.00

電纜 Cable — sanwa

KB-RS2
RS232 電纜
RS232 Cable
* Standard interface : RS232C
* Connection : PC5 series Digital Multimeter to PC
* Length: 1.9m
* Support PC Link Software



STOCK CODE : 645-012 PRICE : HK$ 295.00

軟件 Software — sanwa

PC LINK PLUS
數據記錄軟件
Data Logging Software
* Logging Software for PC series multimeter
* Platform: Windows NT/2K/XP/98/ME
* Support PC100,101,10,20 or PC1000 multimeter
* Support PC5000, 520M, 510 or PC500 multimeter
* Optional cable is necessary connected DMM to PC



STOCK CODE : 645-676 PRICE : HK$ 400.00

萬用錶測試棒 Test Lead — sanwa

TL-61
萬用錶測試棒
Test Lead For DMM
* Length: 0.9m
* Suitable for YX360 / YX361 Analog Multitester
* Suitable for DCM22AD / DLC-400A Clamp Meter
* Suitable for SP20 Shockproof Analog Multimeter
* Suitable for SH-88TR Analog DMM



STOCK CODE : 641-654 PRICE : HK$ 35.00

T-450
溫度探針
Temperature probe
* Plantinic Thin Film type
* For STH-500C
* Temperature range : -50 ~ +450 degC
* Length : 1.7 m



STOCK CODE : 644-492 PRICE : HK$ 750.00

接地測試計 Earth Tester — sanwa

PDR-200DG
數字量式接地測試計
Digital Earth Tester
* Simple operation with push button
* Phase detection system used for circuit for stable measurement
* Easy Self calibration
* AC 30V range to avoid indication errors caused by leakage current



STOCK CODE : 641-623 PRICE : HK$ 2,914.00


接地測試計 Earth Tester — sanwa

PDR301
模擬量式接地測試計
Analog Earth Tester
* Simple operation with push button
* Phase detection system used for circuit for stable measurement
* Automatic calibration
* AC 30V range to avoid indication errors caused by leakage current



STOCK CODE : 641-624 PRICE : HK$ 2,152.00





We welcome any inquiry for products not appear in this catalog

數據記錄儀 Data Logger — SATO

SATO-7008
溫度及濕氣數據記錄儀
Temperature & Humidity Data Logger
* Chart type data logger
* Range: -15 to 40 °C for temperature 5 to 100% for R.H.
* Clock: Stable Quartz type
* Drum rotation: 7 days
* 7 days chart pad with 55 sheets (for one year use)



STOCK CODE : 646-631 PRICE : HK$ 2,750.00

靜電產生器 Gun & Simulator — SCHLODER

SESD-200
靜電鎗模擬測試裝置
ESD Simulator
* Up to 16.5kV
* Air discharge / Contact discharge
* Comply to IEC 1000-4-2, EN 61000-4-2, VDE 0847-4-2
* Testing electromagnetic immunity against electrostatic discharge
* Polarity of output voltage: Positive / negative switchable
* Pulse counter: 1-9999 presettable
* Weight: 1.5kg



STOCK CODE : 646-362 PRICE : HK$ 53,000.00

SESD-30000
30KV 靜電鎗
30kV ESD Gun
* Schloder ESD Simulator
* Contact discharge up to 30,000 Volt
* Air discharge up to 25,000 Volt
* Support special plug in Capacity and Resistor units



STOCK CODE : 647-625 PRICE : HK$ 88,000.00

轉速計 Tachometer — SHIMPO

DT-105A/DT-107A Series
手提數字式轉速計
Digital Handheld Tachometer
* Range: 0.10 - 25,000 RPM
* Direct Length Measurement with Total F
* Speed Selection, 16 Units of Measure
* Accuracy : +/- 0.006% of reading
* LAST, MAX, MIN, 10 Reading Memory



MODEL	DISPLAY	STOCK CODE	PRICE (HK$)
DT-105A	LCD	648-442	1,050.00
DT-107A	LED	648-443	1,200.00



Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.