溫度計
Thermometer

TES-1300,TES-1302,TES-1303



溫度計
Thermometer
* Max hold function
* Data hold function
* Aux output jacks
* T1-T2 differential measurement
* Measuring range : -50 ℃ ~ 1300 ℃ ; -50 ℉ ~ 1999 ℉
* Input : Single(1300), Dual (1302,1303)

MODEL	STOCK CODE	PRICE (HK$)
TES-1300	641-715	480.00
TES-1302	641-716	480.00
TES-1303	641-717	590.00

濕度與溫度計
Humidity & Temperature Meter

AVM-01, AVM-03



風速計
Anemometer
* Sensitive for low/high air velocity
* Ergonomic Design
* Detachable 52mm (diameter) Vane Head
* Range : (±3% rdg±0.1)
* M/S : 0 - 45.0
* Temperature : 0 - 60 ℃ (32-140 ℉)

MODEL	STOCK CODE	PRICE (HK$)
AVM-01	641-694	950.00
AVM-03	641-695	1,100.00

TES-1360



濕度與溫度計
Humidity & Temperature Meter
* Instant performance of Humidity measurement by Precision thin-film capacitance sensor
* Data hold function to hold the LCD readings
* Humidity range : 10% ~ 95% R.H.
* Temperature range : -20 ℃ ~ +60 ℃

STOCK CODE : 641-722 PRICE : HK$ 980.00

TES-1361



數據記錄濕度與溫度計
Datalogging Humidity & Temperature Meter
* Instant preformance of Humidity measurement by precision thin-film capacity sensor
* Dual display LCD / Clock
* Compact, light weight & Simple operation
* 7000 Record Data logging Capacity (Dual Reading)
* RS-232 interface (Software included)

STOCK CODE : 646-069 PRICE : HK$ 1,375.00

校正儀
Calibrator

PROVA 100



迴路校正儀
Loop Calibrator
* Auto Ramp and Easy step functions
* 1 - 100% input
* 0-20mA, 0-24mA selectable
* Easy Just Type In Number operation
* Powered by 9V Alkaline Battery
* Or External Power Input: 9 - 15V
* Dimension: 88 x 168 x 26 mm
* Weight: 330 gm

STOCK CODE : 646-132 PRICE : HK$ 1,075.00

PROVA 123



控制過程信號校正儀
Process Calibrator
* 4-20mA (1KΩload, 24V Loop Supply)
* 0-100mV, 0-1.0000V, 0-12.000V
* K,J,E,T Thermocouple (℃ & ℉)
* Frequency 1-62500 Hz
* 0.025% Basic Accuracy

STOCK CODE : 646-001 PRICE : HK$ 2,625.00

電容量計及校正儀
Capacitance Meter & Calibrator

PROVA 125



溫度電偶校正儀
Thermocouple Calibrator
* Dual LCD display to show the Reference
* Basic Accuracy : 0.3 ℃ / 0.6 ℉
* Resolution : 0.1 ℃/ 0.2 ℉ (K, J, E, T, N, U, L)
* K range : -200 ℃ to 1370 ℃
* R range : 0 ℃ to 1760 ℃
* J range : -200 ℃ to 1050 ℃
* S range : 0 ℃ to 1760 ℃
* T range : -200 ℃ to 400 ℃

STOCK CODE : 647-080 PRICE : HK$ 2,500.00

TES-1500



電容量計
Capacitance Meter
* 0.5% Accuracy
* Test Clips/Direct insert jack for easy measurement
* Range : 200pF/ 2nF/ 20nF/ 200nF/ 2㎌/ 20㎌/ 200㎌/ 2000㎌/ 20mF
* Measurement voltage : 4.5V max.
* Test frequency : 8/80/800 Hz

STOCK CODE : 641-700 PRICE : HK$ 400.00

電源供應
Power Supply

PROVA 8000



可調整由0至40VDC步距1mV
Adjustable From 0 To 40VDC With Step 1mV
* One programmable output: 0 to 40V / 0 to 5A
* Switching Technology, Analog quality
* 2 fixed outputs: 5A/2A, 3.3V/3A
* Over-voltage, over current protection
* Built in buzzer alarm, 120 sets memory
* OCP with programmable timer
* 3U high for rack mounting

STOCK CODE : 647-299 PRICE : HK$ 3,000.00

濕溫度儀錶
Humidity & Temperature Meter

TES-1367



濕溫度儀錶
Humidity & Temperature Meter
* Dew Point & Wet Bulb Reading
* Dual LCD display with Data Hold Function
* Temperature Measuring range: 20°C ~ 60°C(-4°F ~ 140°F)
* Humidity Measuring range: 1%RH ~ 99%RH
* Sampling Rate : 2 times/sec

STOCK CODE : 648-478 PRICE : HK$ 685.00

電池測試器
Battery Tester

TES-32A



電池測試器帶串行通信埠
Battery Tester with RS-232
* Test Condition Without Shutting Down Battery
* Simultaneously Measure Battery Resistance, Voltage
* RS232 PC Interface
* Battery Types Tested : Alkali and lead-acid batteries
* Battery Capacity : 0 to 500AH
* Maximum Input Voltage : 50VDC (32 pcs x 1.5VDC)

STOCK CODE : 648-800 PRICE : HK$ 4,550.00



溫度計
Thermometer

Mini Thermometer A



升至+150℃, 120㎜長
Up To +150 ℃, 120mm Long 0900.0525
* Accuracy :±1 ℃ (-10.. +99.9 ℃)
* Meas. range : -50 ... +150 ℃
* Easy to read thanks to large display
* Quick and easy battery replacement
* Quick-action immersion/penetration thermometer is ideal for measuring the temperature in air, soft or powdery substances and liquids

STOCK CODE : 646-910 PRICE : HK$ 209.00

Mini Thermometer B



升至+250℃, 200㎜長
Up To +250 ℃, 200mm Long 0900.0526
* Accuracy :±1 ℃ (-10.. +99.9 ℃)
* Meas. range : -50 ... +250 ℃
* Easy to read thanks to large display
* Quick and easy battery replacement
* Quick-action immersion/penetration thermometer is ideal for measuring the temperature in air, soft or powdery substances and liquids

STOCK CODE : 646-911 PRICE : HK$ 354.00

Mini Thermometer C



升至+250℃, 120㎜長
Up To +250 ℃, 120mm Long 0900.0519
* Accuracy :±1 ℃ (-10 ... +99.9 ℃)
* Meas. range : -50 ... + 250 ℃
* Easy to read thanks to large display
* The surface thermometer has a widened measuring tip making it particularly suitable for surface measurements

STOCK CODE : 646-912 PRICE : HK$ 354.00

Testo 105



食物探針溫度計
Food Penetration Thermometer 0563.1051
* Robust penetration thermometer
* Ideal for monitoring measurements in abattoirs, refrigerators, trucks,etc
* One-hand operation
* Meas. range : -40... +230 ℃
* Accuracy :±0.8 ℃ (-20... + 70 ℃)
* Robust, waterproof design, can be wiped clean

STOCK CODE : 646-915 PRICE : HK$ 809.00

Testo 106-T1 Set



食物快速型探針溫度計
Penetration Thermometer Set 0563-1061
* Including Testo 106-T1 core thermometer 0560.1061
* With TopSafe (waterproof protective case, IP67)
* With belt clip, probe protecting cover and battery

STOCK CODE : 644-901 PRICE : HK$ 485.00

Testo 110-B1 Bundle



NTC溫度計套裝
NTC Thermometer Bundle 0999.1108
* Including Testo 110 core thermometer 0560.1108
* With TopSafe (protects from impact and dirt)

STOCK CODE : 644-996 PRICE : HK$ 1,279.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

溫度計
Thermometer

Testo 720-B1 Bundle
Pt100溫度計套裝
Pt100 Thermometer Bundle 0999.7207
* Including Testo 720 core Thermometer 0560.7207
* With TopSafe (protects from impact and dirt) 0516.0221



STOCK CODE : 646-333 PRICE : HK$ 2,289.00

Testo 905-T1
棒狀探針溫度計
Stick-Type Penetration Thermometer 0560 9051
* Mini penetration thermometer
* Meas. range : -50... + 350 ℃
* Accuracy :±1 ℃ (-50... +99.9 ℃)
* Professional industrial sensor (type K thermocouple)
* High temperature measurement, short-term to 500 ℃



STOCK CODE : 644-897 PRICE : HK$ 670.00

Testo 905-T2
棒狀表面溫度計
Stick-Type Surface Thermometer 0560.9052
* Mini surface thermometer
* Super-quick measurement
* User-friendly operation
* Auto OFF function
* Meas. range : -50... + 350 ℃, short-term to +500 ℃
* Accuracy :±(1 ℃ ±1% of mv), (-50... +500 ℃)



STOCK CODE : 646-914 PRICE : HK$ 908.00

Testo 926
食物溫度計
Food Thermometer 0560.9261
* Highly accurate
* Meas. range : -50 ... + 350 ℃
* Accuracy :±0.3 ℃(-20... +70 ℃)
* Probe type : Type T (Cu-CuNi) Thermocouple
* Many different probes to select for different applications



STOCK CODE : 646-916 PRICE : HK$ 1,480.00

溫度測量計
Temperature Measurement

Testo 922
雙頻道溫度計
Dual Thermometer 0560.9221
* Meas. range : -50... +1000 ℃
* Ideal for use by heating and air conditioning technicians and fitters
* 2 probes can be connected (Type K)
* Hold button to suspend reading
* Measure the temperatures of two probes simultaneously and display the differential temperature



STOCK CODE : 646-921 PRICE : HK$ 1,963.00

Testo 925-B1 Bundle
K型溫度計套裝
Type K Thermometer Bundle 0999.9250
* Including Testo 925 core thermometer 0560.9250
* With TopSafe (protects from impact and dirt)



STOCK CODE : 648-294 PRICE : HK$ 849.00

溫度測量計
Temperature Measurement

Testo 735-2
Pt100/溫差電偶溫度計
Thermocouple/ Pt100 Thermometer 0563.7352
* 3 cahnnel temperature measuring
* Instrument memory for up to 10,000 readings
* PT100 probe measuring range: -200 to +800 ℃
* Type T probe measuring range: -200 to +400 ℃
* Type K probe measuring range: -200 to +1370 ℃
* PC software and USB cable included



STOCK CODE : 644-997 PRICE : HK$ 4,173.00

Testo 950
參考溫度計
Reference Thermometer 0563.9501
* Highly accurate can used with many different thermocouple, Pt100 & NTC probes
* Attachable printer for on-site printing of result
* System accuracy 0.1 ℃ and resolution 0.01 ℃ can be ache if used with an intelligent precision probes (Pt100 class B 1/10)
* Data can be saved in the instrument & downloaded to PC through RS232 interface & software
* Can measure CO, CO_2, rpm, mV and mA. Over 200 different temperature probes can be used



STOCK CODE : 646-922 PRICE : HK$ 10,643.00

濕度測量計
Humidity Measurement

FA 200-2
壓力露點儀錶
Pressure Dew Point Meter 0556.2002
* This compact instrument supplies an output signal of 4 to 20mA
* Indicates the pressure dew point on an easy-to-read LED display
* Probe type : Testo humid. sensor, capacitive
* Meas. range : -60... +30 ℃ tpd
* Application range : -1 to 50 bar



STOCK CODE : 646-925 PRICE : HK$ 17,880.00

Testo 605-H1
袖珍型溫濕顯示計
Mini Thermohygrometer 0560.6051
* Humidity measurement stick you can bend
* With dew point calculation td
* Meas. range : +5... 95%RH, 0...+50 ℃
* Accuracy :±3%RH



STOCK CODE : 644-911 PRICE : HK$ 639.00

Testo 608-H1
經濟型溫濕顯示計
Affordable Thermohygrometer 0560.6081
* Continuous measurement of humidity, temperature & dew point
* Measuring range : +10 to 95% RH, 0 to 50 ℃
* Humidity Accuracy :±3%RH
* Meas. range : +10... +95%RH, 0.. +50 ℃
* Accuracy :±3%RH



STOCK CODE : 646-894 PRICE : HK$ 499.00

Testo 608-H2
警報器溫濕顯示計
Alarm Thermohygrometer 0560.6082
* Continuous measurement of humidity, temperature & dew point
* With LED alarm, warns if limits are excude
* Measure range : +2 to +98%RH, -10 to 70 ℃
* Humidity Accuracy :±2%RH



STOCK CODE : 646-926 PRICE : HK$ 939.00

濕度測量計
Humidity Measurement

Testo 625-B1 Bundle
熱電濕度計套裝
ThermoHygrometer Bundle 0999.6251
* Including Testo 625 core thermometer 0563.6251
* With TopSafe (protects from impact and dirt) 0516.0221



STOCK CODE : 648-841 PRICE : HK$ 2,760.00

Testo 635-1
溫濕顯示計
Thermohygrometer With Temp. Probe 0560.6351
* Three probe inputs. One combination probe input for %RH/% ℃ and a temperature probe input
* Relative humidity and temperature are shown simultaneously in the display. Dew point is quickly calculated
* Testo printer for printing data on location
* Meas. range : 0... +100%RH



STOCK CODE : 648-662 PRICE : HK$ 3,231.00

Testo 635-2
熱電濕度計套裝包括數據儲存
Thermohygrometer With Logging 0563.6352
* Measuring moisture, pressure dewpoint & temperature
* Up to 3 probes can be displayed by the meter
* Radio probe for temperature and humidity
* Instrument memory for up to 10,000 readings
* PC software for analysis, filing and documentation of measurement data



STOCK CODE : 648-843 PRICE : HK$ 4,577.00

Testo 645
雙重數據記錄溫濕顯示計
Dual Logger Thermohygrometer 0563.6450
* A wide range of humidity and temperature probes suitable for high temperature measurement to monitoring humidity in - compressed air systems are available
* Highly accurate humidity meas. to±1%RH
* Internal data memory
* Convenient data analysis on your PC with location name
* Meas. range : 0... +100%RH, -200...+800 ℃



STOCK CODE : 646-923 PRICE : HK$ 6,450.00

Testo 650
參考溫濕顯示計
Reference Thermohygrometer 0563.6501
* Highly accurate, can used with many different temperature and humidity probes
* Attachable printer for on-site printing of result
* Data can be saved in the instrument & downloaded to PC through RS232 interface & cable
* Up to±1%RH accuracy for humidity measurement & 0.1 ℃ accuracy for temp. measurement



STOCK CODE : 646-924 PRICE : HK$ 11,750.00

記錄儀
Logger

Testo 174
袖珍型溫度記錄儀
Mini Temperature Logger 0563.1741
* Large display in a small casing which shows current reading. Max./Min. values, programmed limit values or battery life in days
* Measuring range : -30 to +70 ℃
* Memory : 3900 readings



STOCK CODE : 646-401 PRICE : HK$ 699.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

記錄儀
Logger

Testo 175-H2
溫度濕度記錄儀（內置傳感器）
Temperature & Humidity Logger (Internal Sensor) 0563.1758
* Measuring range : 0 to 100%RH
* Memory : 16,000 readings
* Sensor : Humidity sensor/NTC (internal)
* Software & interface have to be ordered seperately



STOCK CODE : 646-930 PRICE : HK$ 3,006.00

Testo 175-S1
1頻道電流/電壓記錄儀
1 Channel Current/Voltage Logger, 0563.1759
* Measuring range : 0 to 1V/ 0 to 10V, 0 to 20mA/ 4 to 20mA
* Memory : 16,000 readings
* No. of channels : 1 channel (external)
* Software & interface have to be ordered seperately



STOCK CODE : 646-931 PRICE : HK$ 2,064.00

Testo 175-T1
溫度記錄儀（1內置傳感器）
Temp. Logger (1 Internal Sensor)
* Measuring range : -35 ℃ to +70 ℃
* Memory : 7,800 readings
* Sensor : NTC (internal)
* Software & interface have to be ordered seperately



STOCK CODE : 646-382 PRICE : HK$ 903.00

Testo 175-T2
溫度記錄儀
（1內置傳感器 + 1外置傳感器）
Temp. Logger (1 Internal + 1 External Sensor) 0554.1759
* Measuring range : -35 ℃ to +70 ℃ (intern.)
* Measuring range : -40 ℃ to +120 ℃ (extern.)
* Memory : 16,000 readings
* Sensor : NTC (internal + external)
* Software & interface have to be ordered seperately



STOCK CODE : 646-382 PRICE : HK$ 903.00

Testo 175-T3
溫度記錄儀（2外置傳感器）
Temp. Logger (2 External Thermocouple) 0554.1759
* Measuring range : -50 ℃ to +1000 ℃ (Type K)
* Measuring range : -50 ℃ to +400 ℃ (Type T)
* Memory : 16,000 readings
* Sensor : T/C-Type K or T (external)
* Software & interface have to be ordered seperately



STOCK CODE : 646-382 PRICE : HK$ 903.00

Testo 177-H1
溫度濕度記錄儀（外置傳感器）
Temperature & Humidity Logger (External Sensor) 0563.1775
* Measuring range : 0...100%RH, -20 to +70 ℃ (internal)
* Measuring range : -40 to +70 ℃ td, -40 to +120 ℃ (external)
* Memory : 48,000 readings
* Sensors : Humidity sensor / NTC (internal), NTC(external)
* Software & interface have to be ordered seperately



STOCK CODE : 646-932 PRICE : HK$ 5,225.00

記錄儀
Logger

Testo 177-T4
溫度記錄儀（4外置電偶）
Temp. Logger (4 External Thermocouple) 0554.1774
* Memory : 48,000 readings
* Sensor : T/C-Type K or T (4 x external)
* Measuring range : -195 ℃ to +1000 ℃ (Type K)
* Measuring range : -200 ℃ to +400 ℃ (Type T)
* Software & interface have to be ordered seperately



STOCK CODE : 646-814 PRICE : HK$ 903.00

Testo 575
快速印刷機Testo175/177系列
Fast Printer For Testo 175/177 Series 0554.1775
* Infrared thermal line printer with graph function
* Prints and analyses data on-site without a PC
* Work with Testo 175/177 data logger series
* Self-adhesive paper can also be used



STOCK CODE : 646-933 PRICE : HK$ 4,193.00

Testo 580
數據收集Testo175/177系列
Data Collector For Testo 175/177 Series 0554.1778
* Downloads the complete memory of a testo 175/177 at the touch of a button
* Displays all status information
* Memory capacity : 1MB (ap. 500,000 values)
* Can transfer up to 25 full testo 175 loggers or 10 full testo 177 loggers
* Downloads the collected data to PC via Comsoft 3 Software



STOCK CODE : 646-934 PRICE : HK$ 2,361.00

Testoster 171-6
溫度濕度記錄儀（外置探針）
Temperature & Humidity Logger (External Probe) 0577.1716
* 2 probe inputs. Example : 2 separate multi-function %RH/ ℃ probes for simultaneous checks on room and ambient - humidity
* Probes can be positioned quickly and easily
* Data analysis using Testo printer or PC
* Software & interface have to be ordered seperately



STOCK CODE : 646-936 PRICE : HK$ 13,055.00

Testostor 171-8
高溫度記錄儀
High Temperature Logger 0577.1718
* Compact data logger with 4 external thermocouple connections
* Connection to all Testo thermocouple probes (Type K/T) possible with thermocouple plug
* Heat-proof case made of solid aluminium, housing protects data logger
* Software & interface have to be ordered seperately



STOCK CODE : 646-935 PRICE : HK$ 12,630.00

速度測量
Velocity Measurement

Mini Wind Tunnel
袖珍型式隧道型風速測量
Mini Wind Tunnel 0554.0450
* Can be used for regular checks on the velocity probes and measuring instruments in your company
* 3 speed levels can be set : 2.5/5/10/m/s
* Accuracy of wind tunnel :±1% of reading (at least 0.1m/s)
* You can draw up your own ISO certificates using the wind tunnel and a certified Testo measuring instrument



STOCK CODE : 646-940 PRICE : HK$ 31,786.00

速度測量
Velocity Measurement

Testo 400
多功能參考儀器
Reference Multi-function Instrument 0563.4001
* Can measure temperature, humidity, velocity, CO, CO_2, rpm, mV, mA
* Over 70 different probes can be connected
* Attachable printer for on-site printing of result
* Can be used to measure the I.A.Q.
* Data can be saved in instrument & downloaded to PC through RS232 interface & cable



STOCK CODE : 646-531 PRICE : HK$ 14,120.00

Testo 405-V1
袖珍型風速計
Mini Anemometer 0560.4051
* Measure air velocity, volume flow and temperature
* m/s and m^3/h (volume flow calculation 0 to 99,990 m^3/h)
* Meas. in ducts and at duct outlets
* Meas. range : 0... +10 m/s, -20... +50 ℃



STOCK CODE : 644-918 PRICE : HK$ 809.00

Testo 425-B1 Bundle
風速計套裝
Anemometer Bundle 0999.4251
* Including Testo 425 core Anemometer 0560.4251
* With TopSafe (protects from impact and dirt) 0516.0221



STOCK CODE : 648-844 PRICE : HK$ 4,981.00

Testo 435-1
室內空氣質素計量器不包括數據儲存
IAQ Meter Without Logging 0560.4351
* Support Radio probes for temperatures
* Testing VAC system: Vane measurement and thermal probes
* IAQ probe for CO2 level, moisture & temperature
* Reading & display 3 temperature probes at the same time
* Data can be printer on site by Testo Printer



STOCK CODE : 646-218 PRICE : HK$ 5,500.00

Testo 435-2
室內空氣質素計量器包括數據儲存
IAQ Meter With Logging 0563.4352
* Support Radio probes for temperature and humidity
* Testing VAC system: Vane measurement and thermal probes
* Support IAQ probe, lux probe and comfort level probe
* Instrument memory for 10,000 readings
* With PC software for analysis & USB cable



STOCK CODE : 646-219 PRICE : HK$ 5,683.00

Testo 445
多功能儀器
Multi-function Instrument 0563.4450
* Measures temperature, relative humidity, dew point, absolute humidity, degree of humidity, enthalpy, all types of air velocity (in ducts, duct openings or extractors), volume flow, pressure and indoor air quality (CO + CO_2)
* Data can be saved according to location and then analysed on PC or printed on the Testo printer on site
* More than 40 different probes can be connected
* Simultaneous measurement of up to 6 parameters



STOCK CODE : 646-938 PRICE : HK$ 7,869.00

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

速度測量 Velocity Measurement

Testo 454
強大多頻道，多功能儀器器
Powerful, Multi-Channel, Multi-function Meter 0563.0353



* Portable modular measuring channels system, can be upgraded to 200 measurement
* Analog output box can be connected to output the 4-20mA current control signals
* Built-in printing & data saving function, can be downloaded to PC through software
* Can measure temperature, humidity, CO, CO_2, rpm, mV, mA & IAQ with over 100 different probes can be selected

STOCK CODE : 646-939 **PRICE : HK$ 16,248.00**

Testo 512-6
壓力差及速度儀器器
Differential Pressure & Velocity Meter 0560.5126



* Simultaneous display of flow and pressure value
* Range: 0 to 2hPa
* Unit : kPa, hPa, Pa, mmH_2O, mmHg, psi, inch H_2O, inch Hg
* Switchable units for flow: m/s and fpm
* Readings printout with date/time and min./max. values

STOCK CODE : 646-332 **PRICE : HK$ 4,510.00**

煙道氣體分析 Flue Gas Analyzer

Testo 300XL-1
多功能專業性煙道氣體分析
Professional Flue Gas Analyzer With Add-On Function 0554.1778



* Different sampling probes can be ordered
* Ambient CO and gas leak detection probe can be add seperately
* NO or SO_2 cell can be added for measuremment
* Readings can be saved in the instrument and transmitted to your PC for processing
* Can measure flue gas temperature, O_2 , CO and calculate CO_2 , excess air and gross/net efficiency

STOCK CODE : 646-934 **PRICE : HK$ 2,361.00**

Testo 350M
參考煙道氣體分析
Reference Flux Gas Analyzer 0563.0353



* Basic version includes control unit, analysis box and a flue gas probe
* Measurements include O_2 ,CO, NO (optional), NO_2 or SO_2 (optional);(max.4 measuring modules), temperature and differential pressure, as well as the usual calculated variables CO_2 ...etc
* The readings can be printed on the integrated printer
* A complete Peltier gas preparation unit for controlled condensate removal is also built into the analysis box

STOCK CODE : 646-944 **PRICE : HK$ 16,248.00**

探測器 Detector, Meter

Testo 315-2
CO警報儀器
CO Warning Instrument 0632.0317



* For the heating engineer checks the exact CO level in ambiet air
* Reliable warning of CO poisoning
* Adjustment of different alarm limits
* Printout with date/time and recommended value (alarm limit)

STOCK CODE : 644-925 **PRICE : HK$ 3,991.00**

Testo 316-1
可燃的氣體漏電探測器
Combustible Gas Leak Detector 0632.0316S



* Gas pipes can develop leaks resulting in a risk of explosion
* Testo 316-1 gas leak detector quickly detects even the smallest leaks
* Flexible measurement probe for hard to reach locations
* Optical and audible alarms signal when limits are exceeded
* With topsafe & cap

STOCK CODE : 646-336 **PRICE : HK$ 2,494.00**

探測器 Detector, Meter

Testo 317-1
電子式煙道氣體溢出探測器
Electronic Flue Gas Spillage Detector 0632.3170



* Quickly and efficiently detects escaping flue gases at the source
* The electronic humidity detector
* Flexible probe for hard-to-access locations
* Visual and audible alarm signals

STOCK CODE : 646-945 **PRICE : HK$ 873.00**

Testo 465
非接點式轉速儀
Non-contact rpm Meter 0563.0465



* Attach a reflector to the object to be measured and then point the visible, red light beam at the reflector and measure
* Meas. range : +1... +99999 rpm
* Easy one-hand operation
* Saves mean/maximum value (last reading)

STOCK CODE : 646-389 **PRICE : HK$ 2,103.00**

Testo 535
可燃的氣體漏電探測器
Combustible Gas Leak Detector 0560.5350C



* Efficient CO_2 measuring instrument for measuring indoor air quality
* Long-term monitoring based on maximum and mean calculation
* Long-term stable 2 channel Infrared sensor
* Can print the data on location with data and time on the Testo printer
* Meas. range : 0... +9999ppm CO_2

STOCK CODE : 644-924 **PRICE : HK$ 5,909.00**

Testo 545
照度計
Light Meter 0560 0545



* Meas. range : 0... +100000 Lux
* Multi-point or timed mean calculation
* Logger function (3000 readings)
* A location list can be saved and separately saved luminous intensity values can be connected to form a curve using software

STOCK CODE : 646-608 **PRICE : HK$ 3,990.00**

探測器 Detector, Meter

Testo 815
聲級計
Sound Level Meter 0563.8155



*Accuracy Class 2 to IEC 60651
* Range: +32 to +130 dB
* Frequency weighting to Characteristic A and C
* Maximum and minimum value memory
* Switchable time weighting Fast / Slow

STOCK CODE : 648-062 **PRICE : HK$ 2,516.00**

Testo 816
聲級計
Sound Level Meter 0563.8161



* Meas. range : +30... +130 dB(A)
* Accuracy : Class 2 L ,±1dB(A) (+30... +130 dB(A))
* Detachable microphone to avoid measurement errors
* Accurate quartz calibrator available as accessory

STOCK CODE : 646-947 **PRICE : HK$ 6,683.00**

音量級別計 Sound Meter

Testo 816
音量級別計
Sound Level Meter 0563.8165



* Accuracy Class 2 to IEC 60651 with microphone
* Range: +30 to +130 dB , ±1.0 dB
* Frequency weighting to Characteristic A and C
* Time Weighting , Automatic range switchover
* DC output with 10 mV/dB to connect recorders or dataloggers
* AC output for recorders , BarGraph Display

STOCK CODE : 646-578 **PRICE : HK$ 5,621.00**







Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.