

焊接台 Soldering Station



HAKKO FM202-08

焊接台

Soldering Station

- * Power rating : 75W (Max.140W) , 200 to 450 °C
- * Excellent thermal recovery & auto power shut off
- * The setting temperature can be locked by the Control Card
- * The low-temperature alarm function can be specified
- * ESD-safe by design



STOCK CODE : 613-214

PRICE : HK\$ 2,790.00

焊接烙鐵頭 Soldering Iron



HAKKO 455, 456

焊接烙鐵頭

Soldering Iron

- * Incorporate a ceramic heating element, which provides a longer service life than the conventional nichrome-iron element
- * Hakko 455 is perfect for soldering tuners, inverters, and similar small components
- * Hakko 456 is ideal for soldering chassis, dynamos, large harnesses, transformers and other large components and assemblies
- * Alloy-coated iron tips ensure long-lasting protection from corrosion



MODEL	STOCK CODE	PRICE (HK\$)
455	642-322	223.00
456	642-323	250.00

HAKKO 933, 934

藍色焊接烙鐵頭

Blue Soldering Iron

- * Simple and quick temperature setting by inserting the appropriate temperature button into the handle
- * Easy temperature management-present temperature can be seen at a glance
- * More efficient use of work space



MODEL	STOCK CODE	PRICE (HK\$)
933	642-220	450.00
934	642-221	480.00

HAKKO DASH

短衝型焊接烙鐵頭

Dash Soldering Irons

- * Compact, lightweight design with a slender handle for a more comfortable grip
- * The special alloy heating element is printed in the alumina ceramic insulating layer, then sintered to the ceramic main body
- * The rod-type ceramic heater provides high insulation and reduces the handle-to-tip distance for faster soldering with a minimum of motion



MODEL	STOCK CODE	PRICE (HK\$)
N452-H	642-310	43.00
N453-H	642-311	43.00
N454-H	642-312	48.00

HAKKO MACH-I

Mach-I 型焊接烙鐵頭

Mach-I Soldering Irons

- * Quick Heating - Begin soldering in only ten seconds
- * Faster Thermal Recovery
- * Stable Temperature Control
- * High Insulation
- * Improved Work Efficiency



MODEL	STOCK CODE	PRICE (HK\$)
918-H	642-294	60.00
920-H	642-295	60.00
921-H	642-296	60.00
922-H	642-187	60.00

焊接烙鐵頭 Soldering Iron



HAKKO MG

MG 型焊接槍

MG Soldering Guns

- * Trigger operation for easy one - hand soldering
- * Solder feed control for precise adjustment of the amount of solder wire feed to the tip [Min : 3mm Max : 8mm]
- * Quick solder wire replacement with a simple upward push of the trigger
- * Simple heating element replacement procedure requires no special skills



MODEL	STOCK CODE	PRICE (HK\$)
582	642-356	245.00
583	642-357	266.00
585	642-358	276.00
585DDP-V22	613-245	290.00
587	642-359	301.00
589	642-360	313.00
592	642-778	300.00

HAKKO PRESTO

迅速型焊接

Presto Soldering

- * Heating Element : Ceramic Heater
- * Two operating wattages - 20W and 130W, which can be switched by simply pressing a button according to the component size you want to solder
- * The HAKKO PRESTO is available in both pen and gun types so you can select the type that best matches your needs



MODEL	STOCK CODE	PRICE (HK\$)
980	633-112	1150.00
981	633-113	138.00

HAKKO RED

紅色型焊接烙鐵頭

Red Soldering Iron

- * Economical and light weight design
- * Great tool for students and hobbyists



MODEL	STOCK CODE	PRICE (HK\$)
500 20W	642-340	44.00
501 30W	642-341	44.00
502 40W	642-342	46.00
503 60W	642-343	47.00
504 25W	642-344	44.00

HAKKO BLUE

藍色型焊接烙鐵頭

Blue Soldering Iron

- * Economical and lightweight
- * Ideal for soldering radio controls, small electric and/or electronic parts



MODEL	STOCK CODE	PRICE (HK\$)
505 20W	642-351	47.00
506 25W	642-352	47.00
507 30W	642-353	47.00
508 40W	642-354	50.00
509 60W	642-355	51.00

溫度計與測試

Thermometer & Tester



HAKKO 191

溫度計與測試

Thermometer & Tester

- * Fast, accurate tip temperature measurements using a fine CA wire sensor (Dia. 0.2)
- * Large easy-to-read digital temperature display
- * Quick and easy sensor replacement
- * Measurement Range : 0 °C - 600 °C
- * Applied Sensor : K (CA) Thermocouple



STOCK CODE : 642-437

PRICE : HK\$ 1,150.00

溫度計與測試

Thermometer & Tester



HAKKO 192

溫度計與測試

Thermometer & Tester

- * Meets MIL-STD-2000 for leak voltage measurement
- * Measures true root-mean-square (TRMS) values
- * Resistant to drift and temperature changes, ensuring highly reliable measurements
- * Measures tip temperature, leak voltage and ground resistance
- * Measurements can be output to a monitor, printed out on a recorder...etc



STOCK CODE : 642-567

PRICE : HK\$ 6,200.00

焊錫爐

Soldering Pot



HAKKO SOLDERING POT96, 96-1

焊錫爐

Soldering Pot

- * Large-capacity solder bath holds a larger amount of solder, the solder temperature remains high even during continuous soldering operations
- * The raised rim around the bath enhances soldering and desoldering efficiency
- * A waste collector adds a final touch of operating ease and efficiency



MODEL	STOCK CODE	PRICE (HK\$)
POT96	642-138	1,170.00
POT96-1	642-556	1,910.00

HAKKO 96ZA

焊錫爐

Soldering Pot

- * Solder bath holds larger amount of solder
- * Power Consumption: 200W by Ceramic Heater
- * Temperature range: 100 - 450 °C
- * Dimension of Solder Bath: 50W x 54H x 50D mm
- * Applicable for Lead Free standard



STOCK CODE : 613-284

PRICE : HK\$ 2,250.00

HAKKO 485

焊錫爐

Soldering Pot

- * Many different nozzle sizes are available
- * Soldering and desoldering cycles are automatic and precise
- * Compact and high performance soldering system developed for soldering and desoldering components and connectors mounted on circuit boards
- * The solder flow is both temperature controlled and time controlled



STOCK CODE : 642-550

PRICE : HK\$ 61,630.00

焊接工具

Soldering Tool



HAKKO IRON HOLDER

焊接烙鐵頭支架

Soldering Tool

MODEL	STOCK CODE	PRICE (HK\$)
599	642-590	54.00
601	642-469	135.00
602	642-591	48.00
603	642-592	88.00
606	642-948	90.00
607	642-593	130.00
609	642-594	135.00
631-01	642-291	130.00
632-1	642-949	95.00
C1141	642-950	187.00
C1142	642-951	185.00

631 Iron Holder Series

MODEL	STOCK CODE	PRICE (HK\$)
631-01A	642-291	130.00
631-02	642-952	150.00
631-03	642-953	160.00
631-04	642-954	160.00
631-05	642-955	160.00
631-06	642-956	180.00
631-07	642-957	300.00



解焊工具

Soldering Tool



HAKKO 611

Mach-I 解焊工具

Mach-I Soldering Irons

- * ESD safe by design
- * Keep your bench neat
- * Draw out the solder wire smoothly
- * Outer Dimension (611-1) : 86(W) x 114(H) x 78(D)mm
- * Outer Dimension (611-2) : 87(W) x 200(H) x 141(D)mm

MODEL	STOCK CODE	PRICE (HK\$)
611-1	642-958	85.00
611-2	642-959	100.00



輕易送料工具

Self Feeder



HAKKO 373

輕易送料工具

Self Feeder

- * ESD design helps protect electrically sensitive parts
- * Can be used with a wide range of Hakko brand soldering irons, permitting selection of the most appropriate iron for the task at hand. If you already own one of these compatible Hakko soldering irons, you won't need to buy another
- * Can be connected to simple soldering equipment by using a switching jack
- * Adjustable solder return function reduces waste, permits fully automatic soldering

STOCK CODE : 642-392	PRICE : HK\$ 2,980.00
----------------------	-----------------------



解焊工具

Desoldering Tool



HAKKO 474, 475

解焊工具

Desoldering Tool

- * Both models are constructed of static dissipative materials using an ESD design which prevents damage to circuit boards and parts caused by electro-static discharge
- * Heating element and motor features zero-cross switching in order to prevent electrical surges
- * HAKKO 474 vacuum pump type
- * HAKKO 475 external air compressor type

MODEL	STOCK CODE	PRICE (HK\$)
474	642-393	4,780.00
475	642-394	4,360.00



HAKKO 484

解焊工具

Desoldering Tool

- * Power Consumption : 60W
- * Vacuum Generator : Double Cylinder Type
- * Vacuum Pressure (Max) : 600mmHg (80KPa)
- * Suction Flow : 10/12 l/min (50/60 Hz)
- * Fuse : 2A
- * Outer Dimensions : 35mm (5.3in)(W) x 75mm (2.9in)(H) x 180mm (7.0in)(D)

STOCK CODE : 642-417	PRICE : HK\$ 3,510.00
----------------------	-----------------------



HAKKO 019

解焊工具

Desoldering Tool

- * Power Consumption : 30W
- * Outer Dimension : 280mm (w/o Cord)
- * Weight (w/o Cord) : Approx. 73g



STOCK CODE : 642-522	PRICE : HK\$ 170.00
----------------------	---------------------

HAKKO 808

解焊工具

Desoldering Tool

- * The unique Hakko design places the pump and motor above, not inside the grip, so vibration is minimal and the grip is thin and easy to hold
- * The new, miniature, high-performance diaphragm pump is housed in the pump chamber at the rear of the unit. So, pump maintenance is quick and easy - simply remove the cover of the pump chamber
- * The optional carrying case makes it easy to transport the unit to wherever it is needed



STOCK CODE : 642-428	PRICE : HK\$ 1,700.00
----------------------	-----------------------

解焊工具

Desoldering Tool



HAKKO SPPON

解焊工具

Desoldering Tool

- * Lightweight and economical design
- * Powerful enough for both occasional and heavy-duty desoldering applications efficiently
- * Unique cleaning shaft allows you to clean the nozzle quickly and easily

MODEL	STOCK CODE	PRICE (HK\$)
18	642-515	78.00
18G (w.Guard)	642-516	78.00
20	642-518	83.00
20G (w.Guard)	642-470	83.00



HAKKO WICK

解焊工具

Desoldering Tool

- * Faster thermal transmission for superior performance at lower temperature and with lower wattage soldering irons
- * Leaves less residue on the desoldered connection



MODEL	STOCK CODE	PRICE (HK\$)
83-101	642-531	11.00
83-102	642-532	11.00
83-103	642-533	11.00
83-104	633-076	13.00
83-105	642-534	13.00

Regular Type

MODEL	STOCK CODE	PRICE (HK\$)
87-2	642-525	18.00
87-3	642-526	22.00
87-4	642-527	22.00
87-5	642-528	23.00
87-6	642-864	20.00

Unfluxed Type

MODEL	STOCK CODE	PRICE (HK\$)
84-101	642-535	12.00
84-102	642-536	12.00
84-103	642-537	12.00
84-104	642-538	14.00
84-105	642-539	14.00

SMD 拆焊工具

SMD Rework



HAKKO 392

SMD 拆焊工具

SMD Rework

- * A built-in diaphragm pump eliminates the need for a separate air supply unit
- * Lifts objects weighing up to 120g
- * Pen, suction pads and air hoses are all made of anti-static materials for greater safety and reduced risk of damage to delicate parts
- * Power Consumption : 5W
- * Max. Pressure : 280mmHg

STOCK CODE : 642-568	PRICE : HK\$ 2,125.00
----------------------	-----------------------



HAKKO 701

SMD 拆焊工具

SMD Rework

- * The all-in-one systems for soldering and disordering
- * Designed ESD safe
- * Compact design takes up less bench space
- * Power Consumption : 150W
- * Output Voltage : AC 24V



STOCK CODE : 642-431	PRICE : HK\$ 5,640.00
----------------------	-----------------------

HAKKO 702B

SMD 拆焊工具

SMD Rework

- * A complete rework system for all surface-mount and through-hole printed circuit boards
- * Two soldering irons, medium and extra slim. Powerful desoldering gun. SMD rework iron (Hot air)
- * The compact design takes up less bench space
- * A large variety of tips/nozzles are available from Hakko's well-known existing products
- * ESD safe by design



STOCK CODE : 642-645	PRICE : HK\$ 11,500.00
----------------------	------------------------

SMD 拆焊工具

SMD Rework



HAKKO FR801-06

模擬熱空氣溫度修訂系統

Analog-type Hot Air Rework System

- * Operating Range : 220V, 570W, 100-420 °C
- * Airflow meter: Control the airflow volume visually, 5-20L/min
- * Automatic cool-down : The air stops blowing after cool-down
- * Consistent temperature of hot air is allowed by new mechanism
- * ESD safe by design



STOCK CODE : 613-272	PRICE : HK\$ 3,200.00
----------------------	-----------------------

HAKKO 851

SMD 拆焊工具

SMD Rework

- * Adjustable temperature control: 100 °C - 540 °C
- * Air volume selector switch with ultra-light setting
- * ESD design and grounding measure to minimize damage from current leakage and electrostatic discharge
- * Soldering and desoldering of small surface-mounted chip components
- * Shrinking tubing, heating tests and local heating operations

STOCK CODE : 642-362	PRICE : HK\$ 3,300.00
----------------------	-----------------------



HAKKO FR803-06

熱空氣溫度修訂系統

Hot Air Temperature Rework System

- * Operating Range : 220V, 590W, 100-450 °C
- * 3-step Profiles: Reliably controls the heating processes
- * 3-step setting: Temperature profiles can be memorized
- * Nozzle does not included in this product
- * Capacity : 5 ~ 20 L/min



STOCK CODE : 613-274	PRICE : HK\$ 7,300.00
----------------------	-----------------------

HAKKO 853

SMD 拆焊工具

SMD Rework

- * Compact design
- * Fast heating
- * Temperature range 120 °C - 250 °C (248 °F - 482 °F)
- * Excellent thermal stability
- * Closed loop variable temperature control
- * ESD safe by design



STOCK CODE : 642-688	PRICE : HK\$ 2,280.00
----------------------	-----------------------

吸煙儀

Smoke Absorber



HAKKO 490

吸煙儀

Smoke Absorber

- * Compact and noise free, making it perfect for low-noise environments and desktop use
- * Use compressed air-no power supply necessary
- * Height : 200mm
- * Diameter : 120mm



STOCK CODE : 613-006	PRICE : HK\$ 6,600.00
----------------------	-----------------------

HAKKO 493

吸煙儀

Smoke Absorber

- * Fully-adjustable, low-noise, high performance fan
- * Use the filter made by joining specific urethan foam with refined activated carbon having a high absorbing performance
- * The entire unit is processed with a non sloughing static dissipative, conductive material
- * Power Consumption : 16W (50Hz) / 14W (60Hz)



STOCK CODE : 642-188	PRICE : HK\$ 775.00
----------------------	---------------------

